

# ***NORDICA***

**2022 | 2023**

**ENG**

*NORDICA*

**NORDICA**



**FIT FOR THE LONG RUN**



Nordica was born on the hills of Montebaldo, where the northern wind from the Dolomites and the sunsets of the Gulf of Venice meet. It was October 1939 when Adriano and Odorone Vaccari, mountaineers, brought their experience as craftsmen and their trades into a new business: mountaineering boots.

After a few years, Nordica started to manufacture mountain boots, but to be bold with the men of a future, massive success: ski boots. Three years later, in the winter of 1952, Italian Zenon Colombo, left for America. On the Rocky Mountains, he became twice Alpine Ski World Champion, bringing our brand on the top of the world with him.

The progressive minds made Nordica grow, to become an important choice for skiers seeking perfect fit and precision. First there was leather, then laminated plastic over the liner, aluminum buckles, flex index; so, the brand kept inventing the modern ski boots.

By the Eighties, Nordica ski boots were the most successful in the entire Alpine ski universe. Lifting all those Crystal globes with Priminzürggigen became almost a habit. At the end of the century, Dobermann was by the side of more than half of the World Cup athletes. Among those, a Norwegian kid, Kjetil André Aamodt with a surprising attitude as medalist and multiple World and Olympic Champion. A true recordbreaker in gaining precious metals, who was also one of the first racers to use Nordica second life: Skis.

Trusted by the world, as market leader in the industry, and iconic. The Zanatta family started to write the part of this history and with their passion Nordica was driven back to the top.

Nordica is now fully grown, and its name shines bright as the earlier years. With the most innovative technologies, it's a benchmark and the fastest growing brand in the ski industry. Nordica keeps on writing the history of skiing along with its racers, representing the highest peaks of this sport. The legendary South Tyrolean Dominik Paris, who has lived all his life along with the brand, able to win 4 times on the iconic Kitzbühel, among the others. Alex Vinatzer, the rising star of Italian technical disciplines and finally Andreja Šolar, the surprising biggest athlete of World Cup that marks Nordica's awesome comeback in women's racing. Because of the passion, because of the team of people working for Nordica, because of our dear guests and partners. Because of love for skiing.

Since 1939

We are "fit for the long run".



# SKI BOOTS

## collection

# SKI BOOTS OVERVIEW.

EXPERT

ADVANCED

SKILLED

KIDS

### DOBERMANN GP SERIES

Dobermann GP 130  
Dobermann GP 110  
Dobermann GP 90  
Dobermann GP 70

98

RACE/ON PISTE

ALL MOUNTAIN

### PROMACHINE SERIES

Promachine 130 (GW)  
Promachine 120 (GW)  
Promachine 120 (GW)  
**Promachine 115 W (GW)**  
**Promachine 110 (GW)**  
Promachine 105 W (GW)  
Promachine 95 W (GW)  
Promachine 85 W (GW)

98

HF

HF SERIES

HF Elite Heat (GW)  
**HF Elite Heat W (GW)**  
HF PRO 120 (GW)  
HF 110 (GW)  
HF 100  
**HF 85 W (GW)**  
HF 75 W

102

### SPEEDMACHINE SERIES

Speedmachine 3 130 S (GW)  
Speedmachine 3 130 (GW)  
Speedmachine 3 120 (GW)  
**Speedmachine 3 115 W (GW)**  
**Speedmachine 3 110 (GW)**  
Speedmachine 3 105 W (GW)  
Speedmachine 105 W (GW)  
Speedmachine 3 100 (GW)  
**Speedmachine 3 95 W (GW)**  
Speedmachine 3 85 W (GW)

100

### SPORTMACHINE SERIES

Sportmachine 3 130 (GW)  
Sportmachine 3 120 (GW)  
Sportmachine 3 110 (GW)  
Sportmachine 3 100 (GW)  
**Sportmachine 3 95 W (GW)**  
Sportmachine 3 90 (GW)  
**Sportmachine 3 85 W (GW)**  
Sportmachine 3 80 (GW)  
**Sportmachine 3 75 W**  
Sportmachine 3 65 W

102

### MOUNTAIN ACTIVE STRIDER SERIES

Strider Elite 130 DYN  
Strider Pro 130 DYN  
Strider Pro 120 DYN  
**Strider 115 W DYN**  
Strider 95 W DYN

100

### THE CRUISE SERIES

The Cruise 120  
The Cruise 90  
The Cruise 85 W  
The Cruise 75 W  
The Cruise 70  
The Cruise 65 W  
The Cruise  
The Cruise W

104

Speedmachine 4  
Speedmachine 4 Girl  
Speedmachine 3  
Speedmachine 3 Girl  
Speedmachine 2  
Speedmachine 2 Girl  
Speedmachine 1  
Speedmachine 1 Girl

100

KIDS

# SKI BOOTS CONSTRUCTION

## SHELL

### TRADITIONAL CONSTRUCTION

- MONO INJECTED
- 3 FORCE INJECTION
- MONO INJECTION DOUBLE SOFT FLAP

### NEW CENTRAL ENTRY

- MONO INJECTED DOUBLE DENSITY
- FREEHANDS STEP IN & OUT

## LINERS

- RACE GP CORK FIT
- ISOTHERM 3D CORK FIT
- PRECISION FIT PRIMALOFT®
- HF CORK FIT
- BELLES LINER

## FOOTBEDS

- CARBON PERFORMANCE FIT
- PERFORMANCE FIT
- PRIMALOFT® PRECISION FIT
- PRECISION FIT
- PRIMALOFT® COMFORT FIT
- COMFORT FIT



## SOLES

- 5355: ALPINE SOLES
- 9523: GRIPWALK®
- GRIPWALK® MICHELIN SOLES
- RACING SOLES: NON DIN

## MECHANISMS

- ACP
- CANTING
- Full motion pivot Double canting External canting
- FLEX ADJUSTMENT
- SKI HIKE
- IVC: Instep Volume Control
- WEATHER SHIELD

## CUSTOMIZATION

- INFRARED
- CROCODILE
- CORK OVEN

## SHELLS TRADITIONAL CONSTRUCTIONS

### RACE-ON PISTE MONO INJECTED

### HIGH PERFORMANCE TRI-FORCE INJECTION

### SPORT PERFORMANCE MONO INJECTION DOUBLE SOFT FLAP



Dobermann WC, Dobermann GP

Features: Thick PU infrared ready, Soft flap, Grinding ready, Narrow fit, WC construction, Solid soles, WC team tested.

Benefits: Power, Precision, Quick response, Maximum control.



Promachine, Speedmachine, Sportmachine, Strider

Features: Super stiff sole and spine transmit energy precisely and directly to the skis, Softer shell and cuff wrap comfortably around the foot and lower leg for a snugger, comfier fit, Infrared ready, 100% customizable, Super soft, Double Easy step in & out flaps.



The Cruise, Junior (single soft flap)

Features: More material were needed to transmit power, Less material in the front area for better wrapping, Fully customizable, Lightweight 1750g.

Benefits: Easy step in out, Technology guarantees similar performance than biinjected.

## NEW CENTRAL ENTRY

### PREMIUM COMFORT MONO INJECTION DOUBLE DENSITY



HF

Features: Mono injected double density, Added in wrapping insert, Vaportech textile on top, Infrared ready, Fully customizable, Lightweight 1750g.

Benefits: Easy to step in and out, Good wrapping, Anti-icing water, Comfort.

## LINERS

### RACE GP CORK FIT

### ISOTHERM 3D CORK FIT

### PRECISIONFIT PRIMALOFT®

### HF CORK FIT

### BELLES LINER



## LINER FEATURES



### CUSTOM CORK FIT

- DIRECT POWER TRANSMISSION + COMFORT
- QUICK & CLEAN CUSTOMIZATION
- EASY TO DO + REPEATABLE PROCEDURE

The specifically engineered cork compound integrated into the liners construction, wraps the foot in comfort and performance. Cork naturally forms to the contours of your feet over time through body heat, making the liners comfortable and seamlessly integrated with the boot's shell for maximum performance



### PRIMALOFT® INSULATION

- SLIP-RESISTANT TECHNOLOGY
- ADVANCED THERMAL EFFICIENCY
- EXCELLENT WATER RESISTANCE FOR PROTECTION
- DESIGNED FOR COMPRESSIONAL RECOVERY



## SOLES

### NORDICA SOLES

Advancements in binding designs and boot sole configurations have allowed us to offer a number of different boot sole detentions allowing for more grip, comfort and performance.



#### 5355: ALPINE NORM

Traditional alpine soles which are most common on most ski boots today. They are designed with ISO 5355 geometry and work safely with Traditional Alpine Bindings.



#### ISO 23223: GRIPWALK®

Today's skier demands a ski boot that is more and more comfortable and offers technologies that make walking in their boots easier than ever before. Nordica Gripwalk® soles are designed to be used with Traditional Alpine Bindings and other similar systems available in the market.

Nordica Gripwalk® soles are the standard ISO 23223 geometry and should not be used with Traditional Alpine Bindings.

08A029 00 000 - Canting Kit (0,5-1,0°) for Promachine, Speedmachine and Sportmachine

## MECHANISMS



### ACP

Our Adjustable Cuff Profile Mechanism (ACP) allows for only one movement a neutral standing position for every leg size, making skiing all day easier and more comfortable no matter what the width of a skier's leg. Improves width respected previous mechanism.



### SKI HIKE

Locked down, it delivers direct energy to the skis for that legendary Nordica downhill skiing performance. Opened, it promotes exceptional forward flex and facilitates hiking. Available on Cruise and HF line.



### CANTING

A great tool, taking the customization of your boots performance to the next level. The Full Motion Pivot as two settings. Classic or "OFF" (as it comes out of the box) and Responsive or "ON", which allows the cuff to rotate outward 2 mm's to deliver more power and more control.

**FLEX ADJUSTMENT**  
Allows flex regulation from harder to softer for a personalized performance depending from the ride.



## CUSTOMIZATION

### INFRARED

#### CUSTOMIZED DONE RIGHT


The true key in creating a custom boot design is not whether you can manipulate the natural form of a boot's shell but rather, to create a boot design that can easily and effectively deliver the proper level of modifications, in critical areas, that will benefit not only the fit of the boot but will also enhance its snow performance and feel. For this reason we developed our Infrared Heating Element and our Tri-Force shell. We saw the need to create a boot design and a customization technology that would work together to deliver the perfect amount of customization, only to areas of the shell where it's needed. We also saw the need to create a system that was accurate and easy to use, saving time and eliminating mistakes. The key component in achieving this is the Infrared Heating lamp, heating the plastic of the boot quickly from the inside out, at a right temperature. This allows the boot to remain undamaged by the heating element and for the customization to take a permanently defined shape.

### INFRARED TECHNOLOGY BENEFITS

#### - SIMPLE & FAST

#### - INFRARED HEATING = NO DAMAGE ON BOOT

#### - TARGETS CUSTOMIZATION ONLY WHERE IT'S NEEDED



### DOBERMANN

### PROMACHINE

### SPEEDMACHINE

### SPORTMACHINE

### HF

### STRIDER

### INFRARED TIME

9'

6'

6'



6'

6'

6'

### INFRARED SHELL FIT TECHNOLOGY PROCEDURE

1. Step in the boot
2. Highlight the pressure points on boot
3. Step out the boot
4. Remove the liner
5. Heat the area with the infrared lamp
6. Apply the suction cup element on warm area and start process until the pressure is neutralized (3 min max)
7. Remove the suction cup element
8. Replace the liner
9. Step in the boot



80°C.



9



## CORKOVEN

### FAST AND EASY CUSTOMIZATION

If times is tight Nordica's Custom Cork Liner, can be custom fit in 8 minutes. Additionally, the simple three-step process is endlessly repeatable.



**DOBERMANN**  
RACING INSTINCT.



Dobermann®  
Series



**NORDICA**

# THE STANDARD IN HIGH PERFORMANCE SKI BOOTS

Starting from the ground up, using both the most modern technologies and 80 years of boot design and development knowledge to build the most anatomical high performance boot on the market, Nordica presents the Dobermann GP. Inspired and born from racing, the Dobermann GP features a 98mm mono injected PU performance shell design, an intuitive easy entry in-step, an all high performance custom cork liner, a Full Motion Pivot alignment system and a revolutionary Power Driver Strap design. Nordica packed the best of 80 years of boot building experience into the Dobermann GP to create a high performance experience skiers will love.



## FULL MOTION PIVOT: CANTING REINVENTED

A great tool, taking the customization of your boots performance to the next level. The Full Motion Pivot as two settings. Classic or "OFF" (as it comes out of the box) and Responsive or "ON", which allows the cuff to rotate outward 2 mm's to deliver more power and more control.

- OPTIONAL CUFF CUSTOMIZATION
- ENHANCED POWER TRANSMISSION TO THE EDGE OF THE SKI
- OPTIONAL STANCE FOR MAXIMUM EFFICACY
- MECHANICAL ADVANTAGE + CUSTOM PERFORMANCE



## ZEPPA (WEDGE)

This boot board has been designed to achieve the optimal natural skiing position with a ramp angle of 3°7' (on size 26.5). Also to enhance performance we have increased the boot board platform by 2 mm to improve control and increase power transmission to the edge of the ski.

- RACING ZEPPE
- PERFORMANCE + CONTROL



## 45MM SERVO DRIVE

Nordica's 45mm servo drive creates the perfect marriage between the upper cuff and upper liner, allowing them to uniformly and efficiently work as one.

- INCREASED POWER TRANSMISSION
- HIGH PERFORMANCE + CONTROL



## BUCKLES

Nordica's newly design intuitive buckles either articulate up or down, giving you improved leverage to either open or close your buckles with greater ease.

- SERVOLOCK
- COMFORT + FUNCTION



## TOE BOX CONSTRUCTION

- MODERN TOE BOX CONSTRUCTION + WEATHER GUARD DESIGN

## RACE-ON PISTE / DOBERMANN GP



**soles:**  
ISO 5355 Racing soles  
**last (mm)** flex  
98 130  
**size range** g/MP 26,5  
22,0-29,5 2300  
**liner type/style:**  
Race GP Cork Fit  
**technologies:**  
Infrared  
45mm WC Servo Drive  
Full Motion Pivot  
BBF (Boot Fitter's Best Friend)  
Easy Entry Soft Flap

**DOBERMANN GP 130**  
050C10 03 100 black



**soles:**  
ISO 5355 Racing soles  
**last (mm)** flex  
98 110  
**size range** g/MP 26,5  
22,0-29,5 2220  
**liner type/style:**  
Race GP Cork Fit  
**technologies:**  
Infrared  
45mm WC Servo Drive  
Full Motion Pivot  
BBF (Boot Fitter's Best Friend)  
Easy Entry Soft Flap

**DOBERMANN GP 110**  
050C18 03 100 black



**soles:**  
ISO 5355 Racing soles  
**last (mm)** flex  
98 90  
**size range** g/MP 23,5  
21,5-27,5 1820  
**liner type/style:**  
Race GP Cork Fit  
**technologies:**  
Infrared  
45mm WC Servo Drive  
Full Motion Pivot  
BBF (Boot Fitter's Best Friend)  
Easy Entry Soft Flap

**DOBERMANN GP 90**  
050C26 03 100 black



**soles:**  
ISO 5355 Racing soles  
**last (mm)** flex  
98 70  
**size range** g/MP 23,5  
21,5-27,5 1720  
**liner type/style:**  
Race GP Cork Fit  
**technologies:**  
Infrared  
45mm WC Servo Drive  
Full Motion Pivot  
BBF (Boot Fitter's Best Friend)  
Easy Entry Soft Flap

**DOBERMANN GP 70**  
050C30 03 100 black




Promachine Series  
Speedmachine Series  
**NEW** Sportmachine Series



# THE PERFORMANCE YOU DEMAND, THE COMFORT YOU DESIRE

## FIND YOUR MACHINE FIT GUIDE

Three different Machines, three different last widths, three different cuff volumes. Three surefire ways to get the performance you demand and the comfort you desire.



- **PROMACHINE**
- **SPEEDMACHINE**
- **SPORTMACHINE**

### **PROMACHINE** **PURE POWER**

Last Width: 98 mm  
Volume: Low  
Skier Type: Advanced to Expert  
Feel: Snug & Precise Throughout  
Fit: Easy entry and exit, All-day comfort

### **THE THREE REVOLUTIONARY MACHINES SECTION** **TRI-FORCE FRAME TECHNOLOGY**

Three different plastics provide the level of power, comfort and easy of entry you need.

#### WHITE

Soft plastic flaps promotes easy entry & exit.

#### BLACK

Anatomical frames wraps comfortably around the foot.



#### RED

Rigid spine and sole instantly transmit energy from feet to skis.



### **SPEEDMACHINE** **TRUE PERFORMANCE**

Last Width: 100 mm  
Volume: Mid. Pro Cuff +2mm; Pro In-Step +2mm  
Skier Type: Beginner to Advanced  
Feel: Snug heel hold with relaxed forefoot  
Fit: Easy entry and exit, All-day comfort



### **SPORTMACHINE** **ABSOLUTE CONTROL**

Last Width: 102 mm  
Volume: High. Pro Cuff +9mm; Pro In-Step +6 mm  
Skier Type: Beginner to Advanced  
Feel: Snug heel hold with comfortable roomy forefoot  
Fit: Extra easy entry and exit, ACP accommodates larger calves, All-day comfort plus

## ALL MOUNTAIN / HIGH PERFORMANCE / PROMACHINE



**PROMACHINE 130 GW**  
050F42 01 7T1 black / anthracite / red

SOLES /


soles:  
Michelin® Gripwalk® soles  
last (mm) flex  
98 130  
size range g/MP 26,5  
24,0-30,5 1870  
liner type/style:  
Isotherm 3D Cork Fit R  
laced & adjustable tongue  
technologies:  
Infrared  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap



**PROMACHINE 120 GW**  
050F44 01 731 black / anthracite / green

SOLES /

soles:  
Gripwalk® soles  
last (mm) flex  
98 120  
size range g/MP 26,5  
24,0-30,5 1830  
liner type/style:  
Isotherm 3D  
Cork Fit Primaloft®  
technologies:  
Infrared  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap



## ALL MOUNTAIN / HIGH PERFORMANCE / PROMACHINE



**PROMACHINE 115 W GW**  
050F46 01 731 black / anthracite / green

SOLES /

soles:  
Michelin® Gripwalk® soles  
last (mm) flex  
98 115  
size range g/MP 24,5  
22,0-27,5 1690  
liner type/style:  
Isotherm 3D Cork W Primaloft®  
technologies:  
Infrared  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap



**PROMACHINE 105 W GW**  
050F48 02 5N6 white / black / pink

SOLES /

soles:  
Gripwalk® soles  
last (mm) flex  
98 105  
size range g/MP 24,5  
22,0-27,5 1670  
liner type/style:  
Isotherm 3D Cork W Primaloft®  
technologies:  
Infrared  
Tri-Fit Technology  
35mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap



**PROMACHINE 110 GW**  
050F50 02 M99 anthracite / black / red

INFRARED

soles:  
Gripwalk® soles  
last (mm) flex  
98 110  
size range g/MP 26,5  
24,0-30,5 1810  
liner type/style:  
Isotherm 3D Primaloft®  
technologies:  
Infrared  
Tri-Fit Technology  
45mm Strap  
Tri Force Construction  
Easy Entry Soft Flap



**PROMACHINE 100 GW**  
050F53 02 N96 black / grey / red

INFRARED

soles:  
Gripwalk® soles  
last (mm) flex  
98 110  
size range g/MP 26,5  
24,0-30,5 1810  
liner type/style:  
Isotherm 3D Primaloft®  
technologies:  
Infrared  
Tri-Fit Technology  
45mm Strap  
Tri Force Construction  
Easy Entry Soft Flap



**PROMACHINE 95 W GW**  
050F52 02 T62 black / anthracite / blue

INFRARED

soles:  
Gripwalk® soles  
last (mm) flex  
98 95  
size range g/MP 24,5  
22,0-27,5 1650  
liner type/style:  
Isotherm 3D W Primaloft®  
technologies:  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Tri Force Construction  
Easy Entry Soft Flap



**PROMACHINE 85 W GW**  
050F54 02 Q04 black / white / green

INFRARED

soles:  
Gripwalk® soles  
last (mm) flex  
98 85  
size range g/MP 24,5  
22,0-27,5 1630  
liner type/style:  
Isotherm 3D W Primaloft®  
technologies:  
Infrared  
Tri-Fit Technology  
Strap 35mm  
Tri Force Construction  
Easy Entry Soft Flap

# SPEEDMACHINE

TRUE PERFORMANCE



# SPEEDMACHINE 3

IT'S BACK,  
IT'S PERFECT.

## 3 FORCE LINER

- IMPROVED CUSTOMIZATION
- PERFORMANCE
- FIT
- LATERAL TRANSMISSION & SUPPORT PADDINGS UPDATE  
FOR LONG LASTING DURABLE FIT

## 3 FLEX ADJUSTMENT IN ONE BOOT

- ALLOWS FLEX REGULATION FROM HARDER TO SOFTER FOR A  
PERSONALIZED PERFORMANCE DEPENDING FROM THE RIDE

## 3 INJECTION

- INJECTION CONSTRUCTION
- 5 % LIGHTER VS OLD SPEEDMACHINE
- INFRARED READY



can to  
learn more



Gold Winner

# THE MOST PERFORMING SPEEDMACHINE EVER

Our Research and Development department has worked hard to find a technical solution to improve the **3FORCE TECHNOLOGY** on the shell of our SpeedMachine3. The secret lies largely in the new rigid plastic material, which has been given a completely innovative geometry.

It is a Honeycomb construction that lightens the overall weight of the boot, but increases the surface coverage and integrates perfectly with the softer compound: the key to ensure a performance never achieved before on a boot of this category.

Its plastic composition is also a developed and balanced blend of polyurethane that ensures unmatched performance compared to any other material on the market.



The less rigid plastic part that completes the shell by integrating with the load-bearing structure gives comfort and overall lightness to the new Speedmachine 3.

The area of the instep, where the Easy Entry Soft Flap construction ensures optimal entry and exit from the boot, is structured with an even softer and more wrapping material, to complete a pleasant and natural fit experience.




Stiff Material  
Bindings Norm

SOLES /  
  
MICHELIN



## 1 FLEX ADJUSTMENT



1. Standard Position: Stiff Flex.
2. Unscrew the black tooth and rotate the plastic piece by 180° for a Medium Flex.
3. Remove the screw for a Softer Flex.

**BENEFITS**  
- ALLOWS FLEX REGULATION FROM HARDER TO SOFTER FOR A PERSONALIZED PERFORMANCE DEPENDING FROM THE RIDE

## 2 INFRARED TECHNOLOGY



**BENEFITS**  
- SIMPLE & FAST  
- INFRARED HEATING = NO DAMAGE ON BOOT  
- TARGETS CUSTOMIZATION ONLY WHERE ITS NEEDED

1. Step in the boot
2. Highlight the pressure points on boot
3. Step out the boot
4. Remove the liner
5. Heat the area with the infrared lamp
6. Apply the suction cup element on warm area and start process until the pressure is neutralized (3 min max)
7. Remove the suction cup element
8. Replace the liner
9. Step in the boot

**FAST AND EASY CUSTOMIZATION**  
If time is tight Nordica's Custom Cork Liner, can be custom fit in 8 minutes. Additionally, the simple three-step process is endlessly repeatable.

## 3 CUSTOM CORK



**BENEFITS**  
- QUICK & CLEAN CUSTOMIZATION  
- EASY TO DO  
- REPEATABLE PROCEDURE

**MOLDABLE**  
Cork naturally forms to the contours of your feet over time through body heat, making the liners comfortable and seamlessly integrated with the boot's shell for maximum performance.

# MAKE YOUR CHOICE

In the back of the cuff we also wanted to place an additional innovative element. With the Flex Adjuster, just unscrew the upper screw of the system to obtain a softer flex: by removing the lower screw the boot will become even more soft. With this simple method we give consumers an additional element of customization, so that we can once again choose the configuration that best suits each style of skiing.



## ALL MOUNTAIN / HIGH PERFORMANCE / SPEEDMACHINE



**SPEEDMACHINE 3 130 S GW**  
050G10 00 3F1 black / red / anthracite

SOLES:



soles: Michelin® Gripwalk® soles  
last (mm) flex  
100 130  
size range g/MP 26,5  
24,0-31,0 1950  
liner type/style: 3D Cork Fit Primaloft®  
technologies: Infrared  
Flex Adjustment  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap



**SPEEDMACHINE 3 130 GW**  
050G14 00 3F1 black / red / anthracite

INFRARED

soles: Gripwalk® soles  
last (mm) flex  
100 130  
size range g/MP 26,5  
24,0-31,0 1920  
liner type/style: 3D Cork Fit Primaloft®  
technologies: Infrared  
Flex Adjustment  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap



**SPEEDMACHINE 3 120 GW**  
050G18 00 047 anthracite / black / green

INFRARED

soles: Gripwalk® soles  
last (mm) flex  
100 120  
size range g/MP 26,5  
24,0-31,0 1910  
liner type/style: 3D Cork Fit Primaloft®  
technologies: Infrared  
Flex Adjustment  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Easy Entry Soft Flap

## ALL MOUNTAIN / HIGH PERFORMANCE / SPEEDMACHINE



**SPEEDMACHINE 3 115 W GW**  
050G15 00 3A9 black / white / pink

INFRARED

soles: Gripwalk® soles  
last (mm) flex  
100 115  
size range g/MP 24,5  
22,0-27,5 1700  
liner type/style: 3D Cork Fit W Primaloft®  
technologies: Infrared  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Adjustable Cuff Profile (ACP)  
Easy Entry Soft Flap



**SPEEDMACHINE 3 105 W GW**  
050G19 00 Q04 black / white / green

INFRARED

soles: Gripwalk® soles  
last (mm) flex  
100 105  
size range g/MP 24,5  
22,0-27,5 1700  
liner type/style: 3D Cork Fit W Primaloft®  
technologies: Infrared  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Adjustable Cuff Profile (ACP)  
Easy Entry Soft Flap



**SPEEDMACHINE 3 95 GW**  
050G23 00 047 anthracite / black / green

INFRARED

soles: Gripwalk® soles  
last (mm) flex  
100 95  
size range g/MP 24,5  
22,0-27,5 1700  
liner type/style: 3D Cork Fit W Primaloft®  
technologies: Infrared  
Tri-Fit Technology  
45mm Power Driver Strap  
Tri Force Construction  
Adjustable Cuff Profile (ACP)  
Easy Entry Soft Flap




**SPEEDMACHINE 3 110 GW**  
050G22 00 7T1 black / anthracite / red

INFRARED



**SPEEDMACHINE 3 100 GW**  
050G26 00 2T5 anthracite / black / white

INFRARED



**SPEEDMACHINE 3 85 W GW**  
050G27 00 541 black / anthracite / white  
050G27 00 269 white / black / anthracite

INFRARED



# SPORTMACHINE

## ABSOLUTE CONTROL



# ALL NEW SPORTMACHINE

# **DRTMACHINE ACP SYSTEM**

Sportmachine is equipped with a adjustable cuff profile (ACP) to allow - with only one movement - a neutral standing position for every leg size, making skiing all day easier and more comfortable. Our team has been able to redefine this feature, making it even better than the past. With the new ACP, Sportmachine can reach a larger variety of skiers, by having a total opening of the mechanism that is 4 mm more in total volume. Moreover, the new ACP is screwed on the cuff, ensuring more performance in skiing.

**ADJUSTABLE CUFF PROFILE (ACP) - TO FIT MORE SKIERS. UNPARALLELED COMFORT AND INCREASED PERFORMANCE.**

## TECHNOLOGY, TWO DIFFERENT APPROACHES

ysis on legs and anatomy led us to achieving important goals in differentiating men and women even technologies between men and women skiers. With ACP, we designed a dedicated product for better women legs. In women product, our team has also developed a different technology, using only one screw to the cuff (men version have two screws) that allows a more natural movement based on women power and needs.

## WOMEN DEDICATED FEATURE

1



• +1



BACK TOOT

only  
shaped  
stem, which  
ex and

#### - MORE PERFORMANCE



I N

As we did with the  
and researches led  
design for men and  
not only a fancy opportunity to improve  
close them easier.

- NEW DESIGN
- EASIER OF

INDICA

Liners are the secret soul of every ski boot: that's why we are always looking for innovations and investments in this segment. In the new Sportmachine, we upgraded the liner by using some of the most innovative features present in our ski boots line. The 3D black cork gives a perfect anatomical comfort shape that could be easily customized using our Nordica oven to generate our own perfect liner. The black cork, coming from our Speedmachine liner, gives a charming and aggressive look. The Isotherm layer, together with our well known Primaloft technology, ensures to keep your feet warm and dry all day long.

1





**SPORTMACHINE 3 130 GW**

050T02 00 7T1 black / anthracite / red

INFRARED CORK PRIMALOFT FULL PU



soles: Gripwalk® soles  
last (mm) flex 102 130  
size range g/MP 26,5 24,0-32,5 1980  
liner type/style: 3D Cork Fit Primaloft®  
technologies: Infrared Tri-Fit Technology Strap 45 mm Adjustable Cuff Profile (ACP) Tri Force Construction Easy Entry Soft Flap



**SPORTMACHINE 3 120 GW**

050T04 00 M99 anthracite / black / red

INFRARED CORK PRIMALOFT FULL PU



soles: Gripwalk® soles  
last (mm) flex 102 120  
size range g/MP 26,5 24,0-32,5 1980  
liner type/style: 3D Cork Fit Primaloft®  
technologies: Infrared Tri-Fit Technology Strap 45 mm Adjustable Cuff Profile (ACP) Tri Force Construction Easy Entry Soft Flap




**SPORTMACHINE 3 110 GW**

050T06 00 047 anthracite / black / green

INFRARED CORK PRIMALOFT FULL PU



soles: Gripwalk® soles  
last (mm) flex 102 110  
size range g/MP 26,5 24,0-32,5 1970  
liner type/style: 3D W Performance Fit Primaloft®  
technologies: Infrared Tri-Fit Technology Strap 35 mm Adjustable Cuff Profile (ACP) Tri Force Construction Easy Entry Soft Flap



**SPORTMACHINE 3 95 W GW**

050T07 00 6R5 black / green / white

INFRARED CORK PRIMALOFT FULL PU



GRIP WALK

technologies: Infrared Tri-Fit Technology Strap 35 mm Adjustable Cuff Profile (ACP) Tri Force Construction Easy Entry Soft Flap



**SPORTMACHINE 3 85 W GW**

050T11 00 9G1 black / bronze / white

INFRARED CORK PRIMALOFT FULL PU



GRIP WALK

technologies: Infrared Tri-Fit Technology Strap 35 mm Adjustable Cuff Profile (ACP) Tri Force Construction Easy Entry Soft Flap



**SPORTMACHINE 3 100 GW**

050T10 00 N96 black / grey / red

INFRARED PRIMALOFT FULL PU



soles: Gripwalk® soles  
last (mm) flex 102 100  
size range g/MP 26,5 24,5-32,5 1900  
liner type/style: Precision Fit Primaloft®  
technologies: Infrared Tri-Fit Technology Strap 35 mm Adjustable Cuff Profile (ACP) Tri Force Construction Easy Entry Soft Flap



**SPORTMACHINE 3 90**

050T14 00 7T1 black / anthracite / red

PRIMALOFT FULL TRIAX



soles: 5355 Alpine High Traction soles  
last (mm) flex 102 90  
size range g/MP 26,5 24,0-32,5 1700  
liner type/style: Comfort Fit Primaloft®  
technologies: Strap 35 mm Adjustable Cuff Profile (ACP) Tri Force Construction Easy Entry Soft Flap



**SPORTMACHINE 3 80**

050T18 00 243 anthracite / black / white

FULL TRIAX



soles: 5355 Alpine High Traction soles  
last (mm) flex 102 80  
size range g/MP 26,5 22,5-27,5 1700  
liner type/style: Comfort Fit  
technologies: Strap 35 mm Adjustable Cuff Profile (ACP) Tri Force Construction Easy Entry Soft Flap



**SPORTMACHINE 3 75 W**

050T15 00 3A9 black / anthracite / rose

PRIMALOFT FULL TRIAX



GRIP WALK

OPTION



**SPORTMACHINE 3 65 W**

050T19 00 641 black / anthracite / white

FULL TRIAX



GRIP WALK

OPTION

soles: 5355 Alpine High Traction soles  
last (mm) flex 102 65  
size range g/MP 24,5 22,5-27,5 1580  
liner type/style: Comfort Fit W Primaloft®  
technologies: Strap 35 mm Adjustable Cuff Profile (ACP) Tri Force Construction Easy Entry Soft Flap

# HF

## THE FIRST HANDSFREE SKI BOOTS.



# HF SKI BOOT

## HF WONDER LOCK.

Simplify your skiing experience with the monolock buckle. It's just a matter of pushing it down with your foot or pole and you are go to go.  
**SET IT AND FORGET IT!**

### HANDS FREE CLOSURE SYSTEM

Light, good looking, but especially sleek and well designed. The monolock buckle has never been so intuitive: it's just a matter of pushing it down with your foot and your done. At the end of your day, you can use your pole or the special poles we designed to perfectly match the HF buckle will help you open the back buckle while you remain standing.

HEY LOOK, NO HANDS!



### DOUBLE AXIS PIVOT

The cuff and the shell of the new HF are specially designed to provide the perfect closure between the cuff parts and the shell. The alignment between the two provides unmatched lateral support for immediate ski response. This means easier turns, more stability, perfect control and more fun.



## PREMIUM COMFORT / HF



**HF PRO 120 GW**  
050K06 00 741 black / red




**soles:**  
Gripwalk® soles + in box 5355 Alpine soles  
**last (mm)** flex 102 120  
**size range** g/MP 26,5 23,0-31,0 1850  
**liner type/style:**  
HF 3D Cork Fit Primaloft® Performance  
**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
45mm Power Driver Strap  
Hands Free Step In & Out  
Monolock Buckle



**HF ELITE HEAT GW**  
050K02 00 100 black



**soles:**  
Michelin® Gripwalk® soles + in box 5355 Alpine soles  
**last (mm)** flex 102 110  
**size range** g/MP 26,5 24,0-31,0 1890  
**liner type/style:**  
HF Bluetooth 3D Cork Fit Primaloft® HEAT  
**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle



**HF 110 GW**  
050K12 00 7T1 black / anthracite / red



**soles:**  
Gripwalk® soles + in box 5355 Alpine soles  
**last (mm)** flex 102 110  
**size range** g/MP 26,5 24,0-31,0 1760  
**liner type/style:**  
HF 3D Cork Fit Primaloft® HEAT  
**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle



**HF ELITE HEAT W GW**  
050K03 00 100 black



**soles:**  
Michelin® Gripwalk® soles + in box 5355 Alpine soles  
**last (mm)** flex 102 85  
**size range** g/MP 26,5 23,0-27,5 1900  
**liner type/style:**  
HF Bluetooth 3D Cork Fit W Primaloft® HEAT  
**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle



**HF 85 W GW**  
050K13 00 731 black / anthracite / green



**soles:**  
Gripwalk® soles + in box 5355 Alpine soles  
**last (mm)** flex 102 85  
**size range** g/MP 24,5 23,0-27,5 17150  
**liner type/style:**  
HF 3D Cork Fit W Primaloft®  
**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

**NEW**

**BELLES**

**GRIP WALK**



Nordica 2022/23



**HF 100**  
050K18 00 M99 anthracite / black / red



**HF 90 R**  
050K30 00 3F1 black / red / anthracite  
050K30 G0 3F1 GRIPWALK® SOLES **NEW**



**HF 75 W**  
050K19 00 3C2 black / pearl black / pink



**soles:**  
5355 Alpine High Traction double density PU  
**last (mm)** flex 102 75  
**size range** g/MP 24,5 23,0-27,5 1580  
**liner type/style:**  
HF 3D Hygienical Comfort Fit W Primaloft®  
**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle



**HF 75 W R**  
050K13 00 7T1 black / white / light blue  
050K13 G0 7T1 GRIPWALK® SOLES **NEW**



**soles:**  
5355 Alpine High Traction soles or Gripwalk® soles  
**last (mm)** flex 102 75  
**size range** g/MP 24,5 23,0-27,5 1740  
**liner type/style:**  
HF 3D Hygienical Comfort Fit W Primaloft®  
**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

**NEW**

**BELLES**

**GRIP WALK**

# STRIDER

EXPLORE THE MOUNTAIN.



SOLES /  
BY  
  
MICHELIN

Strider  
Series



**NORDICA**



# CRUISE

## ELEVATE YOUR EXPERIENCE.



# THE CRUISE

## LIGHTEN UP, HAVE FUN.

### ADJUSTING BOOT VOLUME IS A SNAP IVC: INSTEP VOLUME CONTROL

**ADJUST BOOT VOLUME - 4MM INSTANTLY.**  
With our double level Volume wedge/zeppa instep control system.



### - 4 MM INSTEP VOLUME




### SOLE PROFILE GRIPWALK® KIT READY

Thicker plastic sole enhances durability (RTL use).  
Soft sole inserts improve traction. Rockered toe & heel inserts enhance walking comfort.

#### 5355 ALPINE SOLE



#### GRIP WALK OPTION



### EASY ON, EASY OFF EVERY TIME DUAL EASY ENTRY, EASY EXIT FLAP



### DOUBLE FLAP

### OPENING IN STANDARD BOOTS +50%

### SLEEK, LIGHTWEIGHT ANATOMICAL SHAPE

LIGHTWEIGHT MONO-INJECTED SHELL  
POWERED BY OUR PROVEN TRI-FORCE  
FRAME TECHNOLOGY.



## ALL MOUNTAIN / SPORT PERFORMANCE / THE CRUISE



**THE CRUISE 120**  
050640 00 N44 black / red / white



soles:  
5355 Alpine High Traction double density PU  
last (mm) flex  
104 120  
size range g/MP 26,5  
24,0-32,5 1940  
liner type/style:  
Performance Fit Primaloft®  
technologies:  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Full Alu Micro Buckles  
Easy Entry Soft Flap



**THE CRUISE 90**  
050648 00 5R6 anthracite / green / white



soles:  
5355 Alpine High Traction soles  
last (mm) flex  
104 90  
size range g/MP 26,5  
24,0-32,5 1660  
liner type/style:  
Comfort Fit  
technologies:  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Full Alu Micro Buckles  
Easy Entry Soft Flap



**THE CRUISE 75 W**  
050652 00 5R7 pearl black / white / bronze



soles:  
5355 Alpine High Traction soles  
last (mm) flex  
104 75  
size range g/MP 24,5  
22,5-27,5 1550  
liner type/style:  
Comfort Fit W  
technologies:  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Full Alu Micro Buckles  
Easy Entry Soft Flap



**THE CRUISE 65 W**  
050670 00 7T6 black / white / light blue



soles:  
5355 Alpine High Traction soles  
last (mm) flex  
104 55  
size range g/MP 24,5  
22,5-27,5 1480  
liner type/style:  
Comfort Fit W  
technologies:  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Full Alu Micro Buckles  
Easy Entry Soft Flap



**THE CRUISE SW**  
050698 00 798 black / light blue / white



soles:  
5355 Alpine High Traction soles  
last (mm) flex  
104 55  
size range g/MP 24,5  
22,5-27,5 1470  
liner type/style:  
Comfort Fit W  
technologies:  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Full Alu Micro Buckles  
Easy Entry Soft Flap



**THE CRUISE SW**  
050698 00 798 black / light blue / white



**THE CRUISE 70**  
050666 00 N99 black / white / red



**THE CRUISE**  
050672 00 N99 black / white / red



**TREND 3**  
050718 00 6R5 black / green / white



**TREND 3 W**  
050719 00 798 black / light blue / white



## JUNIOR.

1, 2, 3 X BETTER  
CUSTOM FLEX1 BOOT. 3 FLEX SETTINGS.  
NEVER TOO SOFT. NEVER TOO STIFF.

Simple adjustment softens or stiffens fore & aft flex, improves retention control, on-snow performance & the boot's customizability.

I X < 25 kg

II 25 kg < X < 45 kg

III 45 kg < X

THE 1ST FULLY CUSTOMIZABLE JR. SKI BOOT  
SPEEDMACHINE J3

CUSTOMIZATION DONE RIGHT.

INFRARED

## GRIPWALK® SOLES

085024 00 000 - Speedmachine J (C) Gripwalk Soles  
085025 00 000 - Speedmachine J (C) Gripwalk Soles (5pa)

GRIP  
WALKSUPER SOFT. SUPER WARM. FURRY LINING.  
NEW LIGHTWEIGHT  
LINER MATERIALS

WATERPROOF. COMFORTABLE.  
NEW TOE BOX CONSTRUCTION.  
MOULDABLE. CUSTOMIZABLE TONGUE.

Boots that fit & feel so good, Kids will want to wear them all day.



## SKI BOOTS / JUNIOR



**SPEEDMACHINE J4**  
050734 00 7T1 black / anthracite / red

FULL  
TRIAX

**SPEEDMACHINE J3**  
050860 00 7T1 black / anthracite / red

FULL  
TRIAX

**SPEEDMACHINE J2**  
050862 00 7T1 black / anthracite / red

FULL  
TRIAX


**SPEEDMACHINE J1**  
050864 00 7T1 black / anthracite / red

FULL  
TRIAX

**SPEEDMACHINE J4 GIRL**  
050736 00 3L4 light blue / white / pink

FULL  
TRIAX

**SPEEDMACHINE J3 GIRL**  
050870 01 3L4 light blue / white / pink

FULL  
TRIAX

**SPEEDMACHINE J2 GIRL**  
050872 01 3L4 light blue / white / pink

FULL  
TRIAX

**SPEEDMACHINE J1 GIRL**  
050874 01 3L4 light blue / white / pink

FULL  
TRIAX

soles: 5355 High Traction soles  
last (mm) flex  
100 55  
size range g/MP 25,5  
19,0-27,5 1400  
liner type/style: Comfort Fit  
technologies: Full Alu Buckles  
Strap 25 mm  
Micro Adj Buckles

**SPEEDMACHINE J4**  
050734 00 7T1 black / anthracite / red

FULL  
TRIAX

soles: 5355 High Traction soles  
last (mm) flex  
- 45  
size range g/MP 21,5  
16,5-23,5 860  
liner type/style: Comfort Fit  
technologies: Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster

**SPEEDMACHINE J3**  
050860 00 7T1 black / anthracite / red

FULL  
TRIAX

soles: 5355 High Traction soles  
last (mm) flex  
- 45  
size range g/MP 8,5  
16,5-23,5 710  
liner type/style: Comfort Fit  
technologies: Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster

**SPEEDMACHINE J2**  
050862 00 7T1 black / anthracite / red

FULL  
TRIAX

soles: 5355 High Traction soles  
last (mm) flex  
- 25  
size range g/MP 6,0  
14,5-19,5 6830  
liner type/style: Comfort Fit  
technologies: Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster

**SPEEDMACHINE J1**  
050864 00 7T1 black / anthracite / red

FULL  
TRIAX

soles: 5355 High Traction soles  
last (mm) flex  
- 25  
size range g/MP 6,0  
14,5-19,5 6830  
liner type/style: Comfort Fit  
technologies: Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster

**SPEEDMACHINE J1 GIRL**  
050874 01 3L4 light blue / white / pink

FULL  
TRIAX

soles: 5355 High Traction soles  
last (mm) flex  
- 25  
size range g/MP 6,0  
14,5-19,5 6830  
liner type/style: Comfort Fit  
technologies: Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster

**SPEEDMACHINE J1 GIRL**  
050874 01 3L4 light blue / white / pink

FULL  
TRIAX

soles: 5355 High Traction soles  
last (mm) flex  
- 25  
size range g/MP 6,0  
14,5-19,5 6830  
liner type/style: Comfort Fit  
technologies: Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster

**SPEEDMACHINE J1 GIRL**  
050874 01 3L4 light blue / white / pink

FULL  
TRIAX



# SKIS

## collection

# SKIS OVERVIEW.

EXPERT

ADVANCED

SKILLED

KIDS

### DOBERMANN

Dobermann GSM RB Piston  
 Dobermann GSR RB FDT  
 Dobermann SLR RB FDT  
 Dobermann GSC FDT  
 Dobermann SLC FDT

### DOBERMANN SPITFIRE

Dobermann Spitfire 80 RB FDT  
 Dobermann Spitfire 76 RB FDT  
 Dobermann Spitfire 72 RB FDT  
 Dobermann Spitfire 76 Pro FDT  
 Dobermann Spitfire 70 Pro Piston  
 Dobermann Spitfire 70 Pro FDT  
 Dobermann Spitfire 70 TI FDT

Spitfire CA FDT  
 Spitfire 75 FDT  
 Spitfire 73 FDT

### BELLE

Belle SL FDT  
 Belle DC 78  
 Belle DC 72



Belle 72 CA



Wild Belle 74

### ENFORCER

Enforcer Free 115  
 Enforcer Free 110  
 Enforcer Free 104

Enforcer 100  
 Enforcer 94  
 Enforcer 88

### SANTA ANA

Santa Ana Free 110  
 Santa Ana Free 104  
 Santa Ana 98

Santa Ana 93  
 Santa Ana 88  
 Santa Ana 84

### UNLEASHED

Unleashed 108  
 Unleashed 98

Unleashed 98 W  
 Unleashed 90

Unleashed 90 W

NEW

Enforcer 80 S

Santa Ana 80 S

Unleashed 80

# SKI TECHNOLOGIES

## MAIN CONSTRUCTIONS

Nordica sandwich-sidewall construction is the same used in racing and we consider this technology our distinguishing feature for the whole ski collection.

An accurate choice and blend of traditional and innovative materials and an artisanal manufacturing finetuned per line make our skis unique.


This design and sidecut give every ski optimal flex and torsional rigidity, creating sensitiveness and direct power transmission ensuring total control, in every conditions and terrain.

### RACE / ON PISTE

#### ENERGY 2 TITANIUM CARBON RACE BRIDGE

##### MAIN BENEFITS

- World Cup feeling
- Maximum edge grip and improved stability
- Power and speed
- The most playful ski we've ever crafted



##### KEY FEATURES


- ① FULL PERFORMANCE WOODCORE
- ② PHENOL SIDEWALLS
- ③ CARBON FIBER GLASS
- ④ 2 TITANIUM LAYERS

### ALL MOUNTAIN PERFORMANCE

#### ENERGY 2 TITANIUM

##### MAIN BENEFITS

- World Cup feeling
- Great edge grip and improved stability
- Different widths for different ski conditions
- Precise, quick, playful and versatile



##### KEY FEATURES

- ① FULL PERFORMANCE WOODCORE
- ② ABS SIDEWALLS
- ③ 2 TITANIUM LAYERS


### ALL MOUNTAIN FREESKI

#### BELLE DOUBLE CORE



##### MAIN BENEFITS

- Developed studying the specific women's, stance, ergonomics and its position in action
- Specific mold development
- Specific shapes and sidecuts



##### KEY FEATURES


- ① DOUBLE WOODCORE
- ② GUMMY LAYER
- ③ DOUBLE ABS SIDEWALLS
- ④ FIBERGLASS LAYER

### ALL MOUNTAIN FREESKI

#### ENERGY 2 TITANIUM

##### MAIN BENEFITS

- Plush and playful ride
- Surfy feel that's easy to steer and at home in soft snow.
- Great on powder and crud, or simply rallying all over the mountain
- Quick, playful and versatile



##### KEY FEATURES


- ① FULL PERFORMANCE WOODCORE
- ② ABS SIDEWALLS
- ③ GR400 CARBON FIBER GLASS
- ④ 2 TI LAYERS

### ALL MOUNTAIN FREESKI

#### ENERGY 2 TITANIUM W

##### MAIN BENEFITS

- Plush and playful ride
- Surfy feel that's easy to steer and at home in soft snow.
- Great on powder and crud, or simply rallying all over the mountain
- Quick, playful, light and versatile



##### KEY FEATURES

- ① FULL PERFORMANCE WOODCORE
- ② ABS SIDEWALLS
- ③ CARBON FIBER GLASS
- ④ 1 TERRAIN SPECIFIC TI LAYER

### ALL MOUNTAIN FREESKI

#### ENERGY TERRAIN SPECIFIC METAL TI NEW

##### MAIN BENEFITS

- Ultimate versatility
- Playful ride and great Performance
- Rockered tip and tail handles diverse terrain
- Terrain Specific Metal and carbon fibers enhance edge hold and dampen vibrations



##### KEY FEATURES

- ① FULL PERFORMANCE WOODCORE
- ② ABS SIDEWALLS
- ③ CARBON FIBER GLASS
- ④ 1 TERRAIN SPECIFIC TI LAYER




Döbremann Series  
Sjöfors Series



# RACING INSTINCT

## DOBERMANN



### CARBON RACE BRIDGE 2.0

- STRENGTHENS TIP & TAIL
- IMPROVES TORSIONAL STABILITY



- INCREASES EDGE GRIP
- INCREDIBLY POWERFUL & PREDICTABLE TURNS



### RECOIL POWER PLATE

**UNLOCKS THE SKI'S TRUE POTENTIAL**  
Inspired by the most successful plate on the World Cup, the Marker Piston. Allows the ski to flex naturally making it more lively, playful and powerful.

- RACE-INSPIRED PLATE
- FDT TECHNOLOGY
- IMPROVES FLEX
- SMOOTHER POWER TRANSITIONS
- FACILITATES BINDING ADJUSTMENTS

### BUILT-IN VERSATILITY

**SOFT, EASY TURNING SLR**  
TIP PERFECTLY PAIRED WITH A STIFF, POWERFUL GSR SIDE CUT

- CARBON RACING BRIDGE INSERTS
- LIGHTEN TIPS 15 -35%
- MAKING SKIS QUICKER & EASIER TO DRIVE

# IT'S ALL ABOUT THE SHAPE

## DOBERMANN SPITFIRE



### DOBERMANN SPITFIRE: THE FIRST MULTI-RADIUS SKI

This very special style of skis is possible thanks to the multi-radius concept that belongs to this ski since the beginning. Nordica in fact, with the Spitfire line, was the first ski brand to introduce the multi-radius concept taking the shape of our SL skis to develop tips and tails and GSR body. This makes the skis more reactive edge to edge, easy to get into the turn, but way more stable and playful during the turn. Nowadays multi-radius is one of the key features of the majority of the skis on the market, and we are still following this trend. Construction comes directly from the WOC experience, with sidewall and sandwich construction. Wodcira is synonymous of quality, and the single sheet of titanal makes it stronger and more stable.

48



**DOBERMANN  
GS MRB PISTON**

black / red  
**0A1226 00 001** Race Xcell 14 GW

**sizes:**  
170 · 175 · 180 · 185

**sidecut (by size):**  
113,5-69-96,5 (170-175) ·  
114-69-97 (180-185)

**radius (by size):**  
17,5 (170) · 18,5 (175) ·  
19,5 (180) · 20,5 (185)

**DIN setting:**  
4-14 TCX

**system:**  
Piston Plate

**ski construction:**  
Energy 2 TI Carbon Race Bridge

**camRock:**  
Full Camber Profile

**DOBERMANN  
GSR RB FDT**

black / red  
**0A1228 00 001** Xcell 14 FDT

**sizes:**  
170 · 175 · 180 · 185

**sidecut (by size):**  
113,5-69-96,5 (170-175) ·  
114-69-97 (180-185)


**radius (by size):**  
17,5 (170) · 18,5 (175) ·  
19,5 (180) · 20,5 (185)

**DIN setting:**  
4-14 TCX

**system:**  
FDT Recoil Power Pro

**ski construction:**  
Energy 2 TI Carbon Race Bridge

**camRock:**  
Full Camber Profile

**DOBERMANN  
SLR RB FDT**

black / red  
**0A1232 00 001** Xcell 14 FDT

**sizes:**  
155 · 160 · 165 · 170

**sidecut (by size):**  
113-69-103 (155-160) ·  
120-69-104 (165-170)

**radius (by size):**  
11,5 (155) · 12,5 (160) ·  
13 (165) · 14 (170)

**DIN setting:**  
4-12 TC

**system:**  
FDT Recoil Power

**ski construction:**  
Energy CA

**camRock:**  
Full Camber Profile

**DOBERMANN  
GSC FDT**

black / red  
**0A1230 00 001** TPX 12 FDT

**sizes:**  
170 · 175 · 180

**sidecut (by size):**  
113,5-69-96,5 (170-175) · 114-69-97 (180)

**radius (by size):**  
17,5 (170) · 18,5 (175) · 19,5 (180)

**DIN setting:**  
4-12 TC

**system:**  
FDT Recoil Power

**ski construction:**  
Energy CA

**camRock:**  
Full Camber Profile

**DOBERMANN  
SLCFDT**

black / red  
**0A1240 00 001** TPX 12 FDT

**sizes:**  
155-160 · 165-170

**sidecut (by size):**  
111-69-103 (155-160) ·  
120-69-104 (165-170)

**radius (by size):**  
11,5 (155) · 12,5 (160) ·  
13 (165) · 14 (170)

**DIN setting:**  
4-12 TC

**system:**  
FDT Recoil Power

**ski construction:**  
Energy CA

**camRock:**  
Full Camber Profile

**RENTAL  
READY**



**DOBERMANN SPITFIRE 80 RB FDT**

black / red  
**0A1236 00 001** Xcell 12 FDT

**sizes:**  
156 · 162 · 168 · 174 · 180

**sidecut (by size):**  
128-80-108 (156-162) ·  
130-80-110 (168-180)

**radius (by size):**  
13,5 (156) · 14,5 (162) ·  
15 (168) · 16 (174) ·  
17 (180)

**DIN setting:**  
4-12 TCX

**system:**  
FDT Recoil Power Pro

**ski construction:**  
Energy 2 TI Carbon Race Bridge

**camRock:**  
Full Camber Profile

**RENTAL READY**



**DOBERMANN SPITFIRE 76 RB FDT**

black / red  
**0A1238 00 001** Xcell 12 FDT

**sizes:**  
156 · 162 · 168 · 174 · 180

**sidecut (by size):**  
124-76-104 (156-162) ·  
126-76-106 (168-180)

**radius (by size):**  
13,5 (156) · 14,5 (162) ·  
15 (168) · 16 (174) ·  
17 (180)


**DIN setting:**  
4-12 TCX

**system:**  
FDT Recoil Power Pro

**ski construction:**  
Energy 2 TI Carbon Race Bridge

**camRock:**  
Full Camber Profile

**RENTAL READY**



**DOBERMANN SPITFIRE 72 RB FDT**

black / red  
**0A1240 00 001** Xcell 12 FDT

**sizes:**  
156 · 162 · 168 · 174 · 180

**sidecut (by size):**  
120-72-100 (156-162) ·  
122-72-102 (168-180)

**radius (by size):**  
13,5 (156) · 14,5 (162) ·  
15 (168) · 16 (174) ·  
17 (180)


**DIN setting:**  
4-12 TCX

**system:**  
FDT Recoil Power Pro

**ski construction:**  
Energy 2 TI Carbon Race Bridge

**camRock:**  
Full Camber Profile

**RENTAL READY**



**DOBERMANN SPITFIRE 76 PRO FDT**

grey / red  
**0A1241 00 001** TPX 12 FDT

**sizes:**  
156 · 162 · 168 · 174 · 180

**sidecut (by size):**  
124-76-104 (156-162) ·  
126-76-106 (168-180)

**radius (by size):**  
13,5 (156) · 14,5 (162) ·  
15 (168) · 16 (174) ·  
17 (180)


**DIN setting:**  
4-12 TCX

**system:**  
Piston Plate

**ski construction:**  
Energy 2 TI

**camRock:**  
Full Camber Profile

**RENTAL READY**



**DOBERMANN SPITFIRE 70 PRO PISTON**

grey / red  
**0A1235 00 001** Race Xcell 14 GW

**sizes:**  
170 · 175

**sidecut (by size):**  
121-70-101 (170-175)

**radius (by size):**  
13,5 (156) · 14,5 (162) ·  
15 (170) · 15,5 (175)

**DIN setting:**  
4-14 TCX

**system:**  
Piston Plate

**ski construction:**  
Energy 2 TI

**camRock:**  
Full Camber Profile

**RENTAL READY**



**DOBERMANN SPITFIRE 70 PRO FDT**

grey / red  
**0A1242 00 001** PX 12 FDT

**sizes:**  
155-160 · 165-170-175

**sidecut (by size):**  
121-70-101 (170-175) ·  
118-70-98 (155) · 115-70-98 (160) ·  
119-70-98 (165) · 121-70-101 (170-175)

**radius (by size):**  
13,5 (155) · 14,5 (160) · 15,5 (165) ·  
15 (170) · 15,5 (175)

**DIN setting:**  
4-12 TCX

**system:**  
FDT Recoil Power

**ski construction:**  
Energy 2 TI

**camRock:**  
Full Camber Profile

**RENTAL READY**



**DOBERMANN SPITFIRE  
70 T1 FDT**

red / black  
**0A1244 00 001** TPX 12 FDT

sizes:  
155 · 160 · 165 · 170 · 175

sidecut (by size):  
118-70-98 (155) · 118,5-70-98,5 (160) ·  
119-70-99 (165) · 121-70-101 (170-175)

radius (by size):  
13,5 (155) · 14 (160) ·  
14,5 (165) · 15 (170) ·  
15,5 (175)

DIN setting:  
4-12 TC

system:  
FDT Recoil Power

ski construction:  
Energy TI

camRock:  
Full Camber Profile

RENTAL  
READY



**SPITFIRE  
CA FDT**

black / red / white  
**0A1246 00 001** TP2 COMPACT 10 FDT

sizes:  
150 · 156 · 162 · 168 · 174

sidecut (by size):  
118-70-98 (150) · 119-71-99 (156-162) ·  
121-71-101 (168-174)

radius (by size):  
12,5 (150) · 13,5 (156) ·  
14,5 (162) · 15 (168) ·  
16 (174)

DIN setting:  
3-10 ML

system:  
FDT Demo Plate

ski construction:  
Energy CA

camRock:  
Full Camber Profile

RENTAL  
READY



**SPITFIRE  
75 FDT**

grey / anthracite  
**0A1248 00 001** TP2 COMPACT 10 FDT

sizes:  
144 · 150 · 156 · 162 · 168 · 174

sidecut (by size):  
123-75-103 (144-150) · 121-71-98 (156-162) ·  
124-75-104 (156-162) ·  
125-75-105 (168-174)

radius (by size):  
11 (144) · 12 (150) · 12,5 (156) ·  
13,5 (162) · 14,5 (168) · 15,5 (174)

DIN setting:  
3-10 ML

system:  
FDT Demo Plate

ski construction:  
Composite Wood Partial SW

camRock:  
On Piste Profile

RENTAL  
READY



**SPITFIRE  
73 FDT**

black / red  
**0A1250 00 001** TP2 COMPACT 10 FDT

sizes:  
144-150 · 156 · 162 · 168 · 174

sidecut (by size):  
119-73-96 (144-150) · 122-71-98 (156-162) ·  
122-73-100 (166) · 123-73-101 (162-168) ·  
124-73-101 (168) · 124-73-102 (174)

radius (by size):  
11 (144) · 12 (150) · 12,5 (156) ·  
13,5 (162) · 14,5 (168) · 15,5 (174)

DIN setting:  
3-10 ML

system:  
FDT Demo Plate

ski construction:  
Composite Wood

camRock:  
On Piste Profile

RENTAL  
READY

NORDICA



BELLES  
N



BELLE.




## NORDICA BELLE

### NEW WOMEN'S SERIES

The new Nordica Belle ski line is dedicated exclusively to women.

This collection finds its most classic soul in the Belle models, with traditional geometries that express themselves best on the slopes. Have fun with our new Belle DC 72, Belle DC 78 and Wild Belle DC 84.

Our all-new models equipped with the exclusive Double Core technology.



Winner

# DOUBLE CORE TECHNOLOGY

With the new Belle ski line, Nordica declines to ladies all the experience gained over the years, bringing unique innovations that will make your days on the snow unforgettable. In-depth research, focus groups, interviews with female skiers all around the world have highlighted the absolute need to study a product dedicated exclusively to women. For this reason Nordica, in its Ski Excellence Center in Mittersill, Austria, has developed new ski molds with specific geometries for female skiers characteristics.

The real magic that Nordica has been able to recreate happens inside the molding machines.


The innovative construction designed and realized by our Research and Development department involves two wooden cores - both made of beech wood with six poplar stringers each - and a rubber layer inserted inbetween.

A non-conventional core construction, that facilitates deformation and energy transmission, allowing a smoother, fun ride, playful behaviour and a perfect adaptability to any type of snow and surface, without any sacrifice in speed and stability. The key ingredient of this exclusive structure, the rubber layer dividing the two wooden cores, is now at the center of the construction, and, along with its important function of vibration absorption, contributes in making a ski that's absolutely pleasant to drive, lively, precise and fun at the same time.

**WITH DOUBLE CORE TECHNOLOGY, NORDICA RISES TO A HIGH NEVER REACHED BEFORE: A PRODUCT DESIGNED EXCLUSIVELY FOR WOMEN.**

#### BENEFITS

- GREAT FLEX CONTROL
- SKIS ARE MORE LIVELY
- HIGH DAMPENING



#### WOOD CORE 1

POPLAR WOOD WITH  
6 BEECH STRINGERS

#### PULSE CORE

KEY ELEMENT: RUBBER LAYER

#### WOOD CORE 2

POPLAR WOOD WITH  
6 BEECH STRINGERS





## NATURAL STANCE

Designing skis built specifically for women, allowed us to both perfect the wood core profile and the mounting position to be perfectly tailor specifically for women's anatomical needs.

## NATURAL, CENTERED POSITION

### FEATURES

- NEUTRAL STANDING POSITION
- 3D DESIGN OF THE TOP SHEET
- SHORTER PLATE



### BENEFITS

- PERFECT BALANCE
- IMPROVED SKI DRIVING



## SHORTER PLATE



### WILD BELLE DC 84

black / teal  
0A1264 00 001 TP2 LIGHT 11 FDT

#### sizes:

144 · 150 · 156 · 162 · 168

#### sidecut (by size):

130-84-109 (144) · 131-84-110 (150) ·  
132-84-111 (156) · 133-84-112 (162) ·  
134-84-113 (168)

#### radius (by size):

11,5 (144) · 12,2 (150) · 12,8 (156) ·  
13,7 (162) · 14,5 (168)

#### DIN setting:

3-11 TC

#### system:

FDT HP Free Demo Plate Short

#### ski construction:

Double Core CA

#### camRock:

On Piste Rocker



### BELLE DC 78

black / teal  
0A1266 00 002 TP2 LIGHT 11 FDT

#### sizes:

138 · 144 · 150 · 156 · 162 · 168

#### sidecut (by size):

123-78-102 (138) · 124-78-103 (144) ·  
125-78-104 (150) · 126-78-105 (156) ·  
127-78-106 (162) · 128-78-107 (168)

#### radius (by size):

10,7 (138) · 11,5 (144) · 12,2 (150) ·  
12,8 (156) · 13,7 (162) · 14,5 (168)

#### DIN setting:

3-11 TC

#### system:


FDT HP Free Demo Plate Short

#### ski construction:

Double Core CA

#### camRock:

On Piste Rocker



### BELLE DC 72

anatase / teal  
0A1268 00 001 TP2 LIGHT 11 FDT



### BELLE DC 72

anatase / teal  
0A1268 00 001 TP2 LIGHT 11 FDT

#### sizes:

138 · 144 · 150 · 156 · 162 · 168

#### sidecut (by size):

111-72-95 (138) · 111-72-97 (144) ·  
119-92-98 (150) · 120-92-99 (156) ·  
121-72-100 (162) · 122-72-101 (168)

#### radius (by size):

10,7 (138) · 11,5 (144) · 12,2 (150) ·  
12,8 (156) · 13,7 (162) · 14,5 (168)

#### DIN setting:

3-11 TC

#### system:

FDT HP Free Demo Plate Short

#### ski construction:

Double Core CA

#### camRock:

On Piste Rocker



**BELLE  
SL FDT**

black / silver  
0A1260 00 001 TP2 LIGHT 11 FDT

**sizes:**  
150 · 155 · 160 · 165

**sidecut (by size):**  
118-69-102 (150) ·  
119-69-103 (155-160) ·  
120-69-104 (165)

**radius (by size):**  
11 (150) · 11,5 (155) ·  
12,5 (160) · 13 (165)

**DIN setting:**  
3-11 TC

**system:**  
FDT Recoil Power

**ski construction:**  
Energy TI W

**camRock:**  
Full Camber Profile

**WILD BELLE  
78 CA**

anthracite / aqua  
0A1269 00 001 TP2 COMPACT 10 FDT

**sizes:**  
138 · 144 · 150 · 156 · 162 · 168

**sidecut (by size):**  
123-78-102 (138) · 124-78-103 (144) ·  
125-78-104 (150) · 126-78-105 (156) ·  
127-78-106 (162) · 128-78-107 (168)


**radius (by size):**  
10,7 (138) · 11,5 (144) · 12,2 (150) ·  
12,8 (156) · 13,7 (162) · 14,5 (168)

**DIN setting:**  
3-10 ML

**system:**  
FDT Free Demo Plate Short

**ski construction:**  
Energy CA

**camRock:**  
On Piste Rocker

**BELLE  
72 CA**

anthracite / aqua  
0A1270 00 001 TP2 COMPACT 10 FDT

**sizes:**  
138 · 144 · 150 · 156 · 162 · 168

**sidecut (by size):**  
117-72-96 (138) · 118-72-97 (144) ·  
119-72-98 (150) · 120-72-99 (156) ·  
121-72-100 (162) · 122-72-101 (168)

**radius (by size):**  
10,7 (138) · 11,5 (144) · 12,2 (150) ·  
12,8 (156) · 13,7 (162) · 14,5 (168)

**DIN setting:**  
3-10 ML

**system:**  
FDT Free Demo Plate Short

**ski construction:**  
Energy CA

**camRock:**  
On Piste Rocker

**BELLE  
75**

anthracite / teal  
0A2271 00 001 TP2 COMPACT 10 FDT

**sizes:**  
138 · 144 · 150 · 156 · 162 · 168

**sidecut (by size):**  
123-75-103 (144-150) ·  
124-75-104 (156-162) ·  
125-75-105 (168)


**radius (by size):**  
10 (138) · 11 (144) · 12 (150) ·  
12,5 (156) · 13,5 (162) · 14,5 (168)

**DIN setting:**  
3-10 ML

**system:**  
FDT Free Demo Plate Short

**ski construction:**  
Composite Wood Partial SW

**camRock:**  
On Piste Rocker

**WILD BELLE  
74**

grey / white  
0A1272 00 001 TP2 COMPACT 10 FDT

**sizes:**  
138 · 144 · 150 · 156 · 162 · 168

**sidecut (by size):**  
123-75-103 (144-150) ·  
124-75-104 (156-162) ·  
125-75-105 (168)

**radius (by size):**  
10 (138) · 11 (144) · 12 (150) ·  
12,5 (156) · 13,5 (162) · 14,5 (168)

**DIN setting:**  
3-10 ML

**system:**

**ski construction:**

**camRock:**

**BELLE  
73**

teal / white  
0A2273 00 001 TP2 COMPACT 10 FDT

**sizes:**  
138-144 · 150-156-162-168

**sidecut (by size):**  
121-73-94 (138) · 117-73-96 (144) ·  
121-73-98 (150) · 120-72-99 (156) ·  
123-73-101 (162) · 124-73-101 (168)

**radius (by size):**  
10,7 (138) · 11,5 (144) · 12,2 (150) ·  
12,8 (156) · 13,7 (162) · 14,5 (168)

**DIN setting:**  
3-10 ML

**system:**  
FDT Free Demo Plate Short

**ski construction:**  
Composite Wood

**camRock:**  
On Piste Rocker



Enforcer Series  
Santa Ana Series  
**NEW** Unleashed Series



# ALLMOUNTAIN FREESKI.



# ENFORCER

## THE ROAD TO PERFECTION.

### MEET LEGENDARY ENFORCER REFINEMENT.

Building off the proven Nordica Enforcer platform and listening to our customers, athletes, ambassadors, and test team, we are adding to the franchise. With more sizes and better lengths, we are refining perfection and pushing the limits of all mountain legendary performance.



#### TRUE TIP TECHNOLOGY

By trimming the amount of heavy ABS plastic in the tip and extending the lightweight wood core into this area with a taper that further reduces weight, we were able to increase playfulness and manoeuvrability of the ski while maintaining the classic powerful and stable feel that we all love so much.

#### OBSESSED WITH PERFECTION


#### CARBON REINFORCED CHASSIS

Our new carbon-reinforced chassis weighs about 35% less than traditional glass. Fulllength carbon strips not only reduce the chassis' weight, they also increase the ski's strength and stability. The result is a stronger, lighter, more stable Enforcer that's also more playful and versatile.

# SANTA ANA

### INSPIRE CONFIDENCE. DIFFERENT DESIGNS FOR DIFFERENT LINES

From first chair to last, the Santa Ana delivers serious fun. Crafted for women who ski the entire mountain, it provides a smooth and powerful ride. And thanks to a design that's incredibly balanced and versatile, it inspires confidence in all terrain and conditions. The construction and shape combine true tip technology, carbon reinforced chassis, specific terrain metal core and updated sizing to deliver stability where you want it and flexibility where you need it. This creates a ski that's especially playful and easy to maneuver. Whether blasting through glades on a powder day or skiing groomers with friends, trust is the name of the game.



#### NEW SHAPE BETTER PERFORMANCE

**MORE CONSISTENCY THROUGHOUT SIZES**  
**REFINED ROCKER DEPTH PER SIZE**  
**BETTER LENGTHS**  
**MORE PLEASURE**

#### 100,000 HAPPY SKIERS... AND COUNTING

Year after year, the Enforcer continues to be awarded as the "go to ski" for all mountain fun. Named "Best in Test" by SKI Magazine for five years running and Editor's Choice by many others, Enforcers are designed for those who embrace the entire mountain. It's no wonder the Enforcer collection has won plenty of accolades and no shortage of admirers.

# THE PERFECT BLEND

## ROCKER + CAMBER + SIDECUT + CONSTRUCTION

Designed for those who embrace the entire mountain, the Enforcer series is the most versatile and advanced line of skis we've ever made.

Lighter, smoother and more balanced than ever, they're fine-tuned for all mountain fun in all conditions. Thanks to refined rocker depth, and Enforcer true tip technology and carbon-reinforced chassis, they deliver exceptional power and stability while offering a smoother, livelier and easier ride.

### ENFORCER & SANTA ANA FREE

#### EMBRACE FREEDOM

Made for progressive skiers who embrace the entire mountain, the Enforcer Free and Santa Ana Free series are out to change the game. Inspired by our legendary Enforcer collection, these skis channel its trademark power and performance into playful designs tailored for freeriding and softer snow. Crafted to perfection with the perfect blend of rocker, camber and sidecut, they not only deliver a plush and playful ride, they also provide a surfy feel that's easy to steer and at home in soft snow. Whether pursuing powder, busting through crud, or simply rallying all over the mountain, the skis in the Enforcer Free and Santa Ana Free collections are all mountain artists with a freeride spirit.

#### THE WIDER - THE MORE MANEUVERABLE

**EASIER TO NAVIGATE THROUGH VARIABLE TERRAIN AND IN SOFT SNOW**  
(PLAYFUL AND FUN)



### GEOMETRIC RUNNING BASE DESIGN

The Enforcer and Santa Ana running base design has a specific geometric shape to show two features of the ski: a horizontal cut indicates where the rocker starts; the intersection of the diagonal cut with the edge shows the ski's widest point.



# TERRAIN SPECIFIC METAL

## DIFFERENT DESIGNS FOR DIFFERENT LINES



The redesigned Santa Ana collection redefines all-mountain fun. With its carbon-reinforced layer and terrain specific metal sheet sized to each ski, it provides stability where you need it and flexibility where you want it.

110 mm

Soft Snow  
**PLAYFUL LESS METAL**

Hard Snow  
**STABLE MORE METAL**

**ENFORCER FREE  
115 (FLAT)**brown / grey  
0A2300 00 001


sizes:  
191  
sidecut (by size):  
143-115-132  
radius (by size):  
21,5  
ski construction:  
Energy 2 TI  
camRock:  
Powder Rocker Profile

NEW

**ENFORCER FREE  
110 (FLAT)**red / grey  
0A2302 00 001


sizes:  
169 · 177 · 185 · 191  
sidecut (by size):  
139-110-128 (169) ·  
140-110-129 (177-191)  
radius (by size):  
15,5 (169) · 16,5 (177) ·  
18,5 (185) · 20,5 (191)  
ski construction:  
Energy 2 TI  
camRock:  
Powder Rocker Profile

NEW

**ENFORCER FREE  
104 (FLAT)**blue / grey  
0A2304 00 001


sizes:  
165 · 172 · 179 · 186 · 191  
sidecut (by size):  
133-104-122 (165) ·  
134-104-123 (172) ·  
134,5-104-123,5 (179) ·  
135-104-124 (186-191)  
radius (by size):  
16 (165) · 16,5 (172) ·  
17,5 (179) · 18,5 (186) ·  
19,5 (191)  
ski construction:  
Energy 2 TI  
camRock:  
Powder Rocker Profile

NEW

**ENFORCER  
100 (FLAT)**blue / red  
0A2306 00 001


sizes:  
165 · 172 · 179 · 186 · 191  
sidecut (by size):  
131-100-118 (165) ·  
132-100-120 (172) ·  
132,5-100-120,5 (179) ·  
133-100-121 (186) ·  
133,5-100-121,5 (191)  
radius (by size):  
16 (165) · 16,5 (172) ·  
17,3 (179) · 18,4 (186) ·  
19,4 (191)  
ski construction:  
Energy 2 TI  
camRock:  
Powder Rocker Profile

NEW

**ENFORCER  
94 (FLAT)**grey / red  
0A2308 00 001

sizes:  
165 · 172 · 179 · 186 · 191  
sidecut (by size):  
125,5-94-112,5 (165) ·  
126,5-94-114,5 (172) ·  
127,5-94-115,5 (179) ·  
127,5-94-115,5 (186) ·  
128-94-116 (191)  
radius (by size):  
15,6 (165) · 16,1 (172) ·  
17,1 (179) · 18,2 (186) ·  
19,1 (191)  
ski construction:  
Energy 2 TI  
camRock:  
All Mountain Rocker Profile

NEW

**ENFORCER  
88 (FLAT)**silver / blue  
0A2310 00 001

sizes:  
165 · 172 · 179 · 186 · 191  
sidecut (by size):  
125,5-94-112,5 (165) ·  
126,5-94-114,5 (172) ·  
127,5-94-115,5 (179) ·  
127,5-94-115,5 (186) ·  
128-94-116 (191)  
radius (by size):  
(165) · 15,5 (172) ·  
16,1 (179) · 15,5 (186)  
ski construction:  
Energy 2 TI  
camRock:  
All Mountain Rocker Profile

NEW


**SANTA ANA FREE  
110 (FLAT)**teal / brown  
**0A2312 00 001**

**sizes:**  
161 · 169 · 177  
**sidecut (by size):**  
138-110-127 (161) ·  
139-110-128 (169) ·  
140-110-129 (177)

**radius (by size):**  
14,5 (161) · 15,5 (169) · 16,5 (177)

**ski construction:**  
Energy TI W

**camRock:**  
Powder Rocker Profile


**SANTA ANA FREE  
104 (FLAT)**black / teal  
**0A2314 00 001**

**sizes:**  
158 · 165 · 172 · 179  
**sidecut (by size):**  
132-104-121 (158) ·  
133-104-122 (165) ·  
134-104-123 (172) ·  
134,5-104-123,5 (179)

**radius (by size):**  
15,5 (158) · 16 (165) ·  
16,5 (172) · 17,5 (179)

**ski construction:**  
Energy TI W

**camRock:**  
Powder Rocker Profile


**SANTA ANA FREE  
98 (FLAT)**black / peach  
**0A2316 00 001**

**sizes:**  
151 · 158 · 165 · 172 · 179  
**sidecut (by size):**  
130-98-117 (151) ·  
130,5-98-117,5 (158) ·  
131-98-118 (165) ·  
132-98-120 (172) ·  
132,5-98-120,5 (179)

**radius (by size):**  
13,4 (151) · 14,5 (158) · 15,6 (165) ·  
16,3 (172) · 17,3 (179)

**ski construction:**  
Energy TI W

**camRock:**  
All Mountain Rocker Profile


**SANTA ANA  
93 (FLAT)**blue / white  
**0A2318 00 001**

**sizes:**  
151 · 158 · 165 · 172 · 179  
**sidecut (by size):**  
124,5-93-111,5 (151) ·  
125-93-112 (158) ·  
131-98-118 (165) ·  
132-98-120 (172) ·  
132,5-98-120,5 (179)

**radius (by size):**  
13 (151) · 14 (158) ·  
15 (165) · 15,5 (172)

**ski construction:**  
Energy TI W

**camRock:**  
All Mountain Rocker Profile

**SANTA ANA  
88 (FLAT)**

violet / white

**0A2320 00 001**

**sizes:**  
151 · 158 · 165 · 172

**sidecut (by size):**

118-88-106 (151) ·

118,5-88-106,5 (158) ·

119-88-107 (165) ·

121-88-109 (172)

**radius (by size):**

13 (151) · 14 (158) ·

15 (165) · 15,5 (172)

**ski construction:**

Energy TI W

**camRock:**

All Mountain Rocker Profile

**SANTA ANA  
84 (FLAT)**

white / teal

**0A2322 00 001**

**sizes:**  
144 · 151 · 158 · 165 · 172

**sidecut (by size):**

18-84-106 (144) ·

19-84-104 (151) ·

19,5-88-106,5 (158) ·

20-84-105 (165) ·

23-84-108 (172)

**radius (by size):**

(144) · 13 (151) · 14 (158) ·

(165) · 15 (172)

**ski construction:**

Energy TI W

**camRock:**

All Mountain Rocker Profile



# NEW NORDICA UNLEASHED UNLEASH YOUR CREATIVITY.

## TRANSFORM THE MOUNTAIN INTO YOUR PLAYGROUND.

Built for the modern freeskier, Nordica's Unleashed collection is perfect for those who spend their days off trail in the woods and chasing pow. With an emphasis on versatility, these skis provide the perfect blend of playfulness and performance, enabling you to transform the entire mountain into your playground. Their rockered tip and tail profile easily handles diverse terrain and variable conditions. And to further boost your confidence, they pair a wood core with carbon and a sheet of terrain-specific metal, which enhances edge hold and dampens vibrations for an especially smooth ride. If you view groomers as nothing more than how you get to the terrain you truly want to ski, the Unleashed is your soulmate. Your best days are yet to come—chase them down and turn loose your creativity with Nordica's Unleashed.



# NEW NORDICA UNLEASHED WOMEN'S TAKE TIME TO PLAY.

Make the entire mountain your playground with Nordica's Unleashed Women's skis. Built for the modern freeskier, they provide the perfect blend of playfulness and performance, allowing you to ski the bumps, venture off-trail, or chase pow. Their rockered tip and tail profile easily handles diverse terrain and variable conditions. And to further boost your confidence, the Unleashed W skis pair a wood core with carbon and a sheet of terrain-specific metal. This enhances edge hold and dampens vibrations for an especially smooth ride. Escape the groomers, turn loose your creativity, and chase down some fun with Nordica's Unleashed Women's skis.



# UNLEASHED



FOR WHOSE DAYS ON THE MOUNTAIN ARE SPENT OFF-TRAIL, IN THE WOODS, IN THE BUMPS, THE CHOP, AND POWDER. THE GROOMER ONLY GETS THEM TO THE TERRAIN THEY WANT TO SKI, DRIVEN BY THE BELIEF THAT THEIR BEST DAY ON SNOW IS YET TO COME.



**FREESKI EVOLUTION:**  
BUILT FOR THE CONTEMPORARY  
SKIER LOOKING  
FOR A MODERN FREE-SKI.



**THE UNLEASHED IS THE PERFECT MARRIAGE OF PLAYFULNESS AND NORDICA PERFORMANCE, TRANSFORMING THE MOUNTAIN INTO A PLAYGROUND.**



**TERRAIN SPECIFIC METAL CONSTRUCTION:**

- FULL PERFORMANCE WOODCORE
- ABS SIDEWALLS
- CARBON FIBERGLASS
- 1 TERRAIN SPECIFIC LAYER

**SHAPE: NEW SHOVEL/TAILROCKER CONCEPT; TRUE TIP TECHNOLOGY**

## ALL MOUNTAIN / TWIN / UNLEASHED



### UNLEASHED 108 (FLAT)

grey / gold  
0A2324 00 001

sizes:

174 · 180 · 186 · 191

sidecut (by size):

139,5-108-128,5 (174) ·  
140,5-108-129,5 (180) ·  
141-108-130 (186) ·  
142-108-131 (191)

radius (by size):

18,3 (174) · 19 (180) ·  
19,7 (186) · 20,5 (191)

ski construction:

Energy TSM TI

camRock:

Powder Rocker Profile



### UNLEASHED 98 (FLAT)

blue / blue  
0A2326 00 001

sizes:

168 · 174 · 180 · 186

sidecut (by size):

131-98-120 (168) ·  
132-98-121 (174) ·  
133-98-122 (180) ·  
134-98-123 (186)

radius (by size):


16,7 (168) · 17,4 (174) ·  
18,1 (180) · 18,8 (186)

ski construction:

Energy TSM TI

camRock:

Powder Rocker Profile



### UNLEASHED 98 W (FLAT)

blue / white / gold  
0A2328 00 001

sizes:

156 · 162 · 168 · 174

sidecut (by size):

129-98-118 (156) ·  
130-98-119 (162) ·  
131-98-120 (168) ·  
132-98-121 (174)

radius (by size):


15,3 (156) · 16 (162) ·  
16,7 (168) · 17,4 (174)

ski construction:

Energy TSM TI

camRock:

Powder Rocker Profile



### UNLEASHED 90 (FLAT)

blue / red  
0A2351 00 001

sizes:

144 · 152 · 160 · 168 · 174

sidecut (by size):

120-90-109 (144) ·  
121-90-110 (152) ·  
122-90-111 (160) ·  
123-90-112 (168) ·  
124-90-113 (174)

radius (by size):

13,2 (144) · 14,3 (152) ·  
15,4 (160) · 16,6 (168)

ski construction:

Energy CA

camRock:

Powder Rocker Profile



### UNLEASHED 90 W (FLAT)

teal / white / pink  
0A2352 00 001

sizes:

144 · 152 · 160 · 168

sidecut (by size):

120-90-109 (144) ·  
121-90-110 (152) ·  
122-90-111 (160) ·  
123-90-112 (168)

radius (by size):

13,2 (144) · 14,3 (152) ·  
15,4 (160) · 16,6 (168)

ski construction:

Energy CA

camRock:

Powder Rocker Profile



**ENFORCER 80 S  
(FLAT)**

blue / red  
0A2353 00 001

**sizes:**  
120 · 130 · 140 · 150 · 160

**sidecut (by size):**  
105,5-78-90,5 (120) ·  
108-78-93 (130) ·  
111,5-78-96,5 (140) ·  
114-80-99 (150) ·  
116,5-80-101,5 (160)

**radius (by size):**  
11,5 (120) · 12,5 (130) ·  
13 (140) · 14 (150) · 15 (160)

**ski construction:**  
Energy CA

**camRock:**  
All Mountain Rocker Profile

**SANTA ANA 80 S  
(FLAT)**

blue / white  
0A2354 00 001

**sizes:**  
120 · 130 · 140 · 150 · 160

**sidecut (by size):**  
105,5-78-90,5 (120) ·  
108-78-93 (130) ·  
111,5-78-96,5 (140) ·  
114-80-99 (150) ·  
116,5-80-101,5 (160)

**radius (by size):**  
11,5 (120) · 12,5 (130) ·  
13 (140) · 14 (150) · 15 (160)

**ski construction:**  
Energy CA

**camRock:**  
All Mountain Rocker Profile

**UNLEASHED J**

blue / red  
0A2354 MG 001 FT  
0A2355 00 001 FLAT

**sizes:**  
108,1-78-82,8-138,1-48  
**sidecut (by size):**  
99,2-78-90,8 (108) ·  
105,7-82-94,8 (138) ·  
107,4-86-98,8 (148) ·  
109,7-90-104,8 (158) ·  
111,5-94-108,8 (168)

**radius (by size):**  
8,8 (108) · 9,8 (138) ·  
10,8 (148) · 11,8 (158) ·  
12,8 (168) · 14 (108)

**ski setting:**  
2-7 PES

**system:**  
FDT, R, TL + RSS (08-1-18) ·  
FDT, R, TL + RSS (22-1-48)

**ski construction:**  
Composite Partial SW

**camRock:**  
Twin Rocker Profile

**NEW**



### TEAM AM FDT

red / black

0A2337 00 001 JR 7.0 FDT (sizes 110-150)  
 0A2338 00 001 JR 4.5 FDT (sizes 100-140)  
 0A2339 00 001 JR 4.5 FDT (sizes 70-90)

**sizes:**  
 110 · 120 · 130 · 140 · 150 (0A2337)  
 100 · 110 · 120 · 130 · 140 (0A2338)  
 70 · 80 · 90 (0A2339)

**sidecut (by size):**  
 102-67-89 (70-90) · 104-67-93 (100-110) ·  
 106-67-95 (120-140) · 113-70-99 (150)

**radius (by size):**  
 3 (70) · 4 (80) · 5 (90) ·  
 6 (100) · 7 (110) · 8 (120) ·  
 10 (130) · 12 (140) · 13 (150)

**DIN setting:**  
 2-7 EPS (7.0 FDT) ·  
 0.75-4,5 EPS (4.5 FDT)

**system:**  
 FDT JR RTL S + RS (70-110) ·  
 FDT JR RTL L + RS (120-150)

**ski construction:**  
 Composite

**camRock:**  
 On Piste Rocker Profile



### TEAM GFDT

teal / white / pink

0A2341 00 001 JR 7.0 FDT (sizes 110-140)  
 0A2342 00 001 JR 4.5 FDT (sizes 100-140)  
 0A2343 00 001 JR 4.5 FDT (sizes 70-90)

**sizes:**  
 110 · 120 · 130 · 140 (0A2341)  
 100 · 110 · 120 · 130 · 140 (0A2342)  
 70 · 80 · 90 (0A2343)

**sidecut (by size):**  
 102-67-89 (70-90) · 104-67-93 (100-110) ·  
 106-67-95 (120-140)


**radius (by size):**  
 3 (70) · 4 (80) · 5 (90) ·  
 6 (100) · 7 (110) · 8 (120) ·  
 10 (130) · 12 (140) · 13 (150)

**DIN setting:**  
 2-7 EPS (7.0 FDT) ·  
 0.75-4,5 EPS (4.5 FDT)

**system:**  
 FDT JR RTL S + RS (70-110) ·  
 FDT JR RTL L + RS (120-150)

**ski construction:**  
 Composite

**camRock:**  
 On Piste Rocker Profile



### TEAM JR FDT

grey / red

0A1344 00 001 JR 7.0 FDT (sizes 110-150)  
 0A1345 00 001 JR 4.5 FDT (sizes 100-140)  
 0A1346 00 001 JR 4.5 FDT (sizes 70-90)

**sizes:**  
 110 · 120 · 130 · 140 · 150 (0A1344)  
 100 · 110 · 120 · 130 · 140 (0A1345)  
 70 · 80 · 90 (0A1346)

**sidecut (by size):**  
 102-67-89 (70-90) · 104-67-93 (100-110) ·  
 106-67-95 (120-140)

**radius (by size):**  
 3 (70) · 4 (80) · 5 (90) ·  
 6 (100) · 7 (110) · 8 (120) ·  
 10 (130) · 12 (140) · 13 (150)

**DIN setting:**  
 2-7 EPS (7.0 FDT) ·  
 0.75-4,5 EPS (4.5 FDT)

**system:**  
 FDT JR RTL S + RS (70-110) ·  
 FDT JR RTL L + RS (120-150)

**ski construction:**  
 Composite

**camRock:**  
 On Piste Rocker Profile



**NORDICA**



Döbremann®  
Serie 5



## SKI BOOTS / WORLD CUP




**soles:**  
Not in compliance with ISO 5355  
NORM. Grind it before use.  
**last (mm) flex**  
93 150  
**size range g / UK 8,0**  
3-10 UK 2600  
**liner type/style:**  
Laced Race Fit  
**technologies:**  
BBF (Boot Fitter's Best Friend)

**DOBERMANN WC 150**  
050004 04 100 black



**soles:**  
Not in compliance with ISO 5355  
NORM. Grind it before use.  
**last (mm) flex**  
93 130  
**size range g / UK 8,0**  
3-10 UK 2600  
**liner type/style:**  
Laced Race Fit  
**technologies:**  
BBF (Boot Fitter's Best Friend)

**DOBERMANN WC 130**  
050007 04 100 black




**soles:**  
Not in compliance with ISO 5355  
NORM. Grind it before use.  
**last (mm) flex**  
93 100  
**size range g / UK 4,0**  
3-8 UK 2050  
**liner type/style:**  
Laced Race Fit  
**technologies:**  
BBF (Boot Fitter's Best Friend)

**DOBERMANN WC 100**  
050019 04 100 black



## SKIS / WORLD CUP



**DOBERMANN  
DH WC DEPT EDT PLATE**

black / red  
0A1202 00 001



**DOBERMANN  
SG WC DEPT EDT PLATE**

black / red  
0A1204 00 001

**sizes:**

212 - 218

**sidecut (by size):**

R&D

**radius (by size):**

≥50

**system:**

Speed Plate EDT

**ski construction:**

Energy 2 TI Worldcup

**camRock:**

Full Camber Profile

**suggested bindings:**

X-COMP 24 0C0160 00 001

X-COMP 18 0C0162 00 001





**DOBERMANN  
GS WC DEPT PLATE**

black / red  
0A1206 00 001


sizes:  
188 - 193  
sidecut (by size):  
R&D  
radius (by size):  
≥30  
system:  
Piston Plate  
ski construction:  
Energy 2 TI Worldcup  
camRock:  
Full Camber Profile



**DOBERMANN  
SL WC DEPT PLATE**

black / red  
0A1208 00 001


sizes:  
156 - 165  
sidecut (by size):  
R&D  
radius (by size):  
R&D  
system:  
Piston Plate 14mm  
ski construction:  
Energy 2 TI Worldcup  
camRock:  
Full Camber Profile



**DOBERMANN  
SL WC DEPT M PLATE**

black / red  
0A1209 00 001

sizes:  
165  
sidecut (by size):  
R&D  
radius (by size):  
R&D  
system:  
Piston Plate 10mm  
ski construction:  
Energy 2 TI Worldcup  
camRock:  
Full Camber Profile



**DOBERMANN  
SL WC PLATE**

black / red  
0A1214 00 001

sizes:  
156 - 165  
sidecut (by size):  
R&D  
radius (by size):  
R&D  
system:  
Piston Plate  
ski construction:  
Energy 2 TI  
camRock:  
Full Camber Profile

NEW



**DOBERMANN  
GS RACE PLATE**

black / red  
0A12218 00 001

sizes:  
178 - 183 - 188  
sidecut (by size):  
R&D  
radius (by size):  
≥23 (178) - ≥23 (183) - ≥25 (188)  
system:  
Piston Plate  
ski construction:  
Energy 2 TI  
camRock:  
Full Camber Profile



**DOBERMANN  
SL RACE PLATE**

black / red  
0A12128 00 001

sizes:  
149  
sidecut (by size):  
112,5-65-97,5  
radius (by size):  
≥12  
system:  
Piston Plate  
ski construction:  
Energy 2 TI  
camRock:  
Full Camber Profile



**DOBERMANN GP 90**  
050C26 03 100 blackINFRARED  
FULL  
PU

**soles:**  
ISO 5355 Racing soles  
**last (mm) flex**  
98 90  
**size range g/MP** 23,5  
21,5-27,5 1820  
**liner type/style:**  
Race GP  
**technologies:**  
Strap 35mm  
Easy Entry Soft Flap

**DOBERMANN GP 70**  
050C30 03 100 blackTRIAxis  
FULL  
PU

**soles:**  
ISO 5355 Racing soles  
**last (mm) flex**  
98 70  
**size range g/MP** 23,5  
21,5-27,5 1720  
**liner type/style:**  
Race GP  
**technologies:**  
Strap 35mm  
Easy Entry Soft Flap

**DOBERMANN GP 60**  
050732 00 100 blackFULL  
TRIAxis

**soles:**  
5355 High Traction soles  
**last (mm) flex**  
100 60  
**size range g/MP** 25,5  
19,0-27,5 1420  
**liner type/style:**  
Comfort Fit  
**technologies:**  
Strap 25 mm  
Micro Adj Buckles

**DOBERMANN GSJ PLATE**black / red  
0A1220 00 001

**sizes:**  
136 · 143 · 150 · 157 · 164 · 171  
**sidecut (by size):**  
103-65-84,5 (136) · 103,5-65-85 (143) ·  
112-65-97 (143) · 113-65-98 (150)  
105-65-88 (164-171)

**radius (by size):**  
≥9 (121) · ≥9 (128) ·  
≥14 (136) · ≥14 (143) · ≥14 (150) ·  
≥17 (157) · ≥17 (164) · ≥17 (171)

**system:**  
Junior Racing Plate New  
S (136-150) · L (157-171)

**ski construction:**

Energy 2 TI

**camRock:**

Full Camber Profile

**suggested bindings:**

RACE 10 TCX 0C0172 00 001  
RACE 10 0C0168 00 001  
RACE 8 0C0170 00 001

**DOBERMANN SLJ PLATE**black / red  
0A1222 00 001

**sizes:**  
121 · 128 · 135 · 142 · 149

**sidecut (by size):**  
105-64-90 (122) · 109-64-94 (129-136) ·  
112-65-97 (143) · 113-65-98 (150)

**radius (by size):**  
≥9 (121) · ≥9 (128) ·  
≥10 (135) · ≥10 (142) ·  
≥11 (149)

**system:**

Junior Racing Plate New

S (121-135) · L (142-149)

**ski construction:**

Energy 2 TI

**camRock:**

Full Camber Profile

**suggested bindings:**

RACE 10 TCX 0C0172 00 001  
RACE 10 0C0168 00 001  
RACE 8 0C0170 00 001

**DOBERMANN GSJ PLATE**black / red  
0A1220 00 001

**sizes:**  
110-101-101-120-130-140-150-161-2

**sidecut (by size):**  
104-69-91 (101) · 106-69-91 (110) ·  
111-69-91 (120) · 133-69-93 (130) ·  
116-70-96 (140) · 118-70-98 (150) ·  
119-71-91 (162)

**radius (by size):**  
7 (10) · 8 (11) · 9 (12) · 10 (13) · 10 (14) ·  
12 (15) · 14 (16) · 16 (17)

**system:**

2-7 S

**camRock:**

Full Camber Profile

Rental Ski Boots  
Rental Skis



# RENTAL.



**DURABILITY, PERFORMANCE, COMFORT, CONVENIENCE**

## **PRESENTING THREE PERFORMANCE LEVELS OF THE BEST RENTAL GEAR**

Different Customers want different equipment for their experience, so Nordica offers different levels of rental skis and ski boots.

### **PREMIER**

Demo/Test Centers  
Try-to-buy  
Specialty, Boutique Rental  
Upgrade Options for Fleet

★★★★★  
6 STARS

### **PERFORMANCE**

Resort Specialty Operators  
Upscale Fleet Rental  
Concierge Operations  
Preferred by Ski Schools

★★★★★  
5 STARS

### **SPORT**

Resort Fleet Operations  
High Volume Rental  
High Velocity

★★★★★  
4 STARS



# RENTAL SKI BOOTS TECHNOLOGIES

Our dedicated rental boots are easier to size, easier to fit, easier to adjust, manage and maintain, which makes it easier for skiers to learn and have fun skiing.

## 1 PU CONSTRUCTION

To ensure better on-snow performance and longer lasting durability, every Nordica rental boot is constructed exclusively with PU plastics.



## 2 MACRO/MICRO BUCKLE ADJUSTMENTS

Faster, easier buckle adjustments meet the needs of today's rental customers.

MULTI-MACRO CATCH RANGE +/- 30mm  
MULTI-MACRO BUCKLE RANGE: +/- 20mm  
MICRO BUCKLE RANGE: +/- 10mm



## 3 SANITIZED® HYGIENICAL LINER

Keep your rental fleet as safe, clean and functional as possible. Every Nordica rental boot has a Sanitized Hygienical Liner that fights against odour and bacteria while maintaining the highest level of comfort.

### BENEFITS

- INCREASE OF WEARING COMFORT
- OPTIMAL HYGIENE FUNCTION
- BUILT IN DEODORANT
- BACTERIOSTATIC & FUNGOSTATIC PROTECTION
- PROTECTS DURABLY FROM MICROBIAL ATTACK
- PROTECTION OF MATERIAL VS MICROBIAL DAMAGE



## 4 REPLACEABLE & WALKABLE SOLES

To promote safer and more natural movements while walking, Nordica GripWalk sole kits are available for all Speedmachine, Sportmachine, HF and The Cruise boots.

08A043 00 849 - Gripwalk Machine line Soles  
08A046 00 000 - Gripwalk Machine line RTL Soles (4 PA)  
085020 00 000 - HF/The Cruise/Speedmachine J (A) Gripwalk Soles  
085020 01 000 - HF/The Cruise/Speedmachine J (A) Gripwalk Soles NEW  
085024 00 000 - Speedmachine J (C) Gripwalk Soles NEW  
085025 00 000 - Speedmachine J (C) Gripwalk Soles (5 PA) NEW



## 5 EASY ENTRY INSTEP

Nordica's soft, easy entry flap provides relief over the instep and makes it easier to get feet into and of the boots.

## 6 BAR CODE & SIZING SYSTEM



TEST & BUY READY  
Removable stickers



RTL DEDICATED  
Hot-stamped on plastic

## 7 RENTAL READY KIT

Incorporate any Nordica boot into your rental fleet with our easy to add bar code kits.

### VELCRO POWER STRAP KIT INCLUDES:

- 20 pieces of Velcro strap band (10 right + 10 left) for 10 pairs of boots;
- 10 pairs of matched bar codes;
- 3 sheets of stickers that indicate the size and sole length of every Nordica JR and SR boot.



08A02800 000

## SKI BOOTS / PREMIER / ★★★★★



**NEW**  
**GRIP WALK**  
soles:  
5355 Alpine High Traction soles  
or Gripwalk® soles  
last (mm) flex  
100 110  
size range g/MP 26,5  
24,0-31,0 1920 - 1900 (GW)

liner type/style:  
3D Hygienical Fit

technologies:  
Infrared  
Tri-Force Construction  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Macro Adj Cuff Buckles &  
2 Micro Alu



**NEW**  
**GRIP WALK**  
OPTION  
soles:  
5355 Alpine High Traction soles  
or Gripwalk® soles  
last (mm) flex  
102 100  
size range g/MP 26,5  
22,5-32,5 2020 - 2000 (GW)

liner type/style:  
Hygienical Comfort Fit

technologies:  
Infrared

Tri-Force Construction  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Macro Adj Cuff Buckles &  
2 Micro Alu



**SPORTMACHINE 3 90 R**  
050216 00 000 anthracite / black / red  
050216 00 000 GRIPWALK® SOLES

INFRARED

FULL PU



**NEW**  
**BELLES**  
**GRIP WALK**  
soles:  
5355 Alpine High Traction soles  
or Gripwalk® soles  
last (mm) flex  
102 85  
size range g/MP 24,5  
22,0-27,5 1720 - 1700 (GW)

liner type/style:  
Hygienical Comfort Fit W

technologies:  
Infrared  
Tri-Force Construction  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Macro Adj Cuff Buckles &  
2 Micro Alu



**SPORTMACHINE 85 WR**  
050217 00 000 black / white / pink  
050217 00 000 GRIPWALK® SOLES

INFRARED  
FULL PU



**SPORTMACHINE 75 WR**  
050217 00 047 anthracite / black / green  
050217 00 047 GRIPWALK® SOLES

INFRARED  
FULL PU

soles:  
5355 Alpine High Traction soles  
or Gripwalk® soles  
last (mm) flex  
102 90  
size range g/MP 25,5  
22,5-32,5 1960-1980 (GW)

liner type/style:  
Hygienical Comfort Fit

technologies:  
Infrared  
Tri-Force Construction  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Macro Adj Cuff Buckles &  
2 Micro Alu

soles:  
5355 Alpine High Traction soles  
or Gripwalk® soles  
last (mm) flex  
102 75  
size range g/MP 25,5  
22,5-32,5 1820-1900 (GW)

liner type/style:  
Hygienical Comfort Fit W

technologies:  
Infrared  
Tri-Force Construction  
Strap 35mm  
Adjustable Cuff Profile (ACP)  
Macro Adj Cuff Buckles &  
2 Micro Alu

**SPORTMACHINE 75 WR**  
050217 00 047 anthracite / black / green  
050217 00 047 GRIPWALK® SOLES

INFRARED  
FULL PU

**SKI BOOTS / PERFORMANCE / ★★★★****SKI BOOTS / SPORT / ★★★**

**soles:**  
5355 Alpine High Traction soles  
or Gripwalk® soles  
**last (mm) flex**  
102 90  
**size range g/MP 26,5**  
24,0-31,0 1750  
**liner type/style:**  
HF 3D Hygienical Comfort Fit  
**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

**HF 90 R**  
050K30 00 3F1 black / red / anthracite  
050K30 GO 3F1 GRIPWALK® SOLES



**soles:**  
5355 Alpine High Traction soles  
or Gripwalk® soles  
**last (mm) flex**  
102 75  
**size range g/MP 24,5**  
23,0-27,5 1740  
**liner type/style:**  
HF 3D Hygienical Comfort Fit W  
**technologies:**  
Infrared  
Instep Volume Control (IVC)  
Double Axis Pivot  
Hands Free Step In & Out  
Monolock Buckle

**HF 75 WR**  
050K31 00 7T6 black / white / light blue  
050K31 GO 7T6 GRIPWALK® SOLES



**soles:**  
5355 Alpine High Traction soles  
or Gripwalk® soles  
**last (mm) flex**  
104 80  
**size range g/MP 26,5**  
24,0-32,5 2050  
**liner type/style:**  
Comfort RTL Antibacterial  
**technologies:**  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Macro Adj Cuff Buckles &  
2 Micro Alu

**THE CRUISE 90 R**  
050678 00 M99 anthracite / black / red



**soles:**  
5355 Alpine High Traction soles  
or Gripwalk® soles  
**last (mm) flex**  
104 75  
**size range g/MP 24,5**  
22,5-27,5 1790  
**liner type/style:**  
Comfort RTL Antibacterial W  
**technologies:**  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Macro Adj Cuff Buckles &  
2 Micro Alu

**THE CRUISE 75 WR**  
050682 00 223 anthracite / white / light blue



**soles:**  
5355 Alpine High Traction soles  
**last (mm) flex**  
104 70  
**size range g/MP 26,5**  
22,5-32,5 1935  
**liner type/style:**  
Comfort RTL Antibacterial  
**technologies:**  
Instep Volume Control (IVC)  
Adjustable Cuff Profile (ACP)  
Strap 35mm  
Macro Adj Cuff Buckles &  
2 Micro Alu

**THE CRUISE 65 WR**  
050686 00 7T6 black / white / light blue



**soles:**  
5355 Alpine High Traction soles  
**last (mm) flex**  
100 60  
**size range g/MP 25,5**  
19,0-27,5 1650  
**liner type/style:**  
Comfort RTL Antibacterial  
**technologies:**  
Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster  
Hot Stamped Size & Length

**SPEEDMACHINE J4 R**  
050738 00 M99 anthracite / black / red



**soles:**  
5355 Alpine High Traction soles  
**flex**  
45  
**size range g/MP 21,5**  
19,0-26,5 1060  
**liner type/style:**  
Comfort RTL Antibacterial  
**technologies:**  
Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster  
Hot Stamped Size & Length

**SPEEDMACHINE J3 R**  
050880 00 M99 anthracite / black / red



**soles:**  
5355 Alpine High Traction soles  
**flex**  
45  
**size range g/MP 18,5**  
16,5-23,5 810  
**liner type/style:**  
Comfort RTL Antibacterial  
**technologies:**  
Full Alu Buckles  
Easy Entry Soft Flap  
Weight Adjuster  
Hot Stamped Size & Length

**SPEEDMACHINE J2 R**  
050882 00 M99 anthracite / black / red



# RENTAL SKI TECHNOLOGIES

## RENTAL READY SKIS FEATURES

### 1 OPTIMIZED TIP/TAIL PROPORTION (V17)

More harmonic feel throughout the entire turn.

### 2 STRONGER EDGE

Harder, thicker edge material increases the durability and prolongs the life of the ski.

### 3 EXTRA DURABLE KOPPE TOPSHEET

Extra thick, longer lasting PU topsheet resists scratching and maximizes durability.

### 4 TIP & TAIL PROTECTORS

Integrated steel tip and tail protectors prevent topsheets from chipping and further extend the life of the ski.

### 5 TOOL-FREE BINDING


Easy-to-use Marker FDT binding system offers quick, intuitive adjustments. Sliding toe and heel adjustment properly seats the boot on the ski, so skiers are more balanced and better positioned to turn their skis more easily.

### 6 FORWARD PRESSURE CONFIRMATION


Easy-to-read forward pressure indicator instantly confirms forward pressure adjustment.

### 7 GRIPWALK® BINDINGS

Accept GripWalk soles with no extra adjustments required.



5



6



7



## DEDICATED RENTAL FEATURES AVAILABLE ON SELECTED SKIS

### 1 FULL CAP CONSTRUCTION

Protects the topsheet from chipping and extends the life of the ski.

### 2 PARTIAL SIDEWALL CONSTRUCTION

Capped tips and tails protect skis against chipping while full sidewall construction underfoot increases power, stability and edge grip.

### 3 BAR CODED INVENTORY SYSTEM

An easy-to-read bar code integrated into the FDT plate simplifies inventory control and management.

## SKIS WITH A GREEN FOOTPRINT

Nordica factory, Skis producer in Mittersill, Austria, is involved since 2008 in a enhancing process of clean energy choices and modernization which already cut down yearly energy consumption more than in half, going on cutting down to 1500 MWh. Other projects involve e-mobility and waste recycling. Today, the factory is building a large photo-voltaic facility in four phases, two of these already completed and the third ongoing. After the definitive completion, the facility will produce the power of 430.000 kWh per year. This corresponds to about 15 % of the own power requirements. The improvement due to the photo-voltaic facility will help to cut of 158 tons of CO2 emissions generated out on the 583 tons per year currently generated, reducing the environmental footprint.

**"WE ARE ONE OF THE BIGGEST COMPANIES IN THE REGION AND WE ARE TAKING OVER THE RESPONSIBILITY AND THE LEADERSHIP FOR AN ENVIRONMENTAL COMMITMENT".**

HELMUT EXENBERGER, managing director of Mittersil factory.



### ALLDRIVE 84 FDT

grey / blue / red

0A1363 00 001 TP2 COMPACT 10 FDT

sizes:

136 · 142 · 150 · 158 · 166 · 174

sidecut (by size):

127-82-105 (136) · 128-82-106 (142) · 129-82-107 (150) · 133-84-111 (158) · 134-84-112 (166) · 135-84-113 (174)

radius (by size):

11 (136) · 12 (142) · 13 (150) · 13,5 (158) · 14,5 (166) · 15,5 (174)

DIN setting:

3-10 ML

system:

FDT Freeride Plate + RS

ski construction:

Energy CA

camRock:

All Mountain Rocker Profile



### ALLDRIVE W 82 FDT

grey / teal

0A1365 00 002 TP2 COMPACT 10 FDT

sizes:

136 · 142 · 150 · 158 · 166

sidecut (by size):

127-82-105 (136) · 128-82-106 (142) · 129-82-107 (150) · 133-84-111 (158) · 134-84-112 (166)

radius (by size):

11 (136) · 12 (142) · 13 (150) · 13,5 (158) · 14,5 (166) · 15,5 (174)

DIN setting:

3-10 ML

system:

FDT Freeride Plate + RS

ski construction:

Energy CA

camRock:

All Mountain Rocker Profile



### ALLDRIVE 76 FDT

grey / white / blue

0A1369 00 001 TP2 COMPACT 10 FDT

sizes:

136 · 142 · 150 · 158 · 166 · 174

sidecut (by size):

127-82-105 (136) · 128-82-106 (142) · 129-82-107 (150) · 133-84-111 (158) · 134-84-112 (166)

radius (by size):

11 (136) · 12 (142) · 13 (150) · 13,5 (158) · 14,5 (166) · 15,5 (174)

DIN setting:

3-10 ML

system:

FDT RT Plate + RS

ski construction:

Energy CA

camRock:

On-Piste Rocker Profile

ALLDRI<sup>E</sup> / SPORT / ★★★★

WOMAN / SPORT / ★★★★



### ALLDRI<sup>E</sup> 74 FDT

grey / red

0A1381 00 002 TP2 COMPACT 10 FDT

sizes:

138 · 144 · 150 · 156 · 162 · 168 · 174

sidecut (by size):

117-73-94 (138) · 119-73-96 (144) · 121-73-98 (150) ·  
122,5-73-100 (156) · 123,5-73-101 (162) ·  
124-73-101 (168) · 124,5-73-102 (174)

radius (by size):

11,5 (138) · 12 (144) · 12,5 (150) · 13 (156) ·  
13,7 (162) · 14,6 (168) · 15,5 (174)

DIN setting:

3-10 ML

system:

FDT RTL Plate + RS

ski construction:

Composite Wood

camRock:

On Piste Rocker Profile



### ALLDRI<sup>E</sup> W 74 FDT

grey / white

0A1422 00 001 TP2 COMPACT 10 FDT

sizes:

138 · 144 · 150 · 156 · 162 · 168 · 174

sidecut (by size):

117-73-94 (138) · 119-73-96 (144) · 121-73-98 (150) ·  
122,5-73-100 (156) · 123,5-73-101 (162) ·  
124-73-101 (168) · 124,5-73-102 (174)

radius (by size):

11,5 (138) · 12 (144) · 12,5 (150) ·  
13 (156) · 13,7 (162) · 14,6 (168)

DIN setting:

3-10 ML

system:


FDT RTL Plate + RS

ski construction:

Composite Wood

camRock:

On Piste Rocker Profile



### SPITFIRE 74 FDT

red / black

0A2376 00 001 TP2 COMPACT 10 FDT

sizes:

138 · 144 · 150 · 156 · 162 · 168 · 174

sidecut (by size):

123-75-103 (144-150) ·  
124-75-104 (156-162) ·  
125-75-105 (168-174)

radius (by size):

10 (138) · 11 (144) · 12 (150) · 12,5 (156) ·  
13,5 (162) · 14,5 (168) · 15,5 (174)

DIN setting:

3-10 ML

system:


FDT Free Demo Plate Short

ski construction:

Composite Wood Partial SW

camRock:

On Piste Rocker



### SPITFIRE 75 R FDT

blue / black

0A2380 00 001 TP2 COMPACT 10 FDT

sizes:

138 · 144 · 150 · 156 · 162 · 168 · 174

sidecut (by size):

117-73-94 (138) · 119-73-96 (144) · 121-73-98 (150) ·  
122,5-73-100 (156) · 123,5-73-101 (162) ·  
124-73-101 (168) · 124,5-73-102 (174)

radius (by size):

11,5 (138) · 12 (144) · 12,5 (150) · 13 (156) ·  
13,7 (162) · 14,6 (168) · 15,5 (174)

DIN setting:

3-10 ML

system:

FDT Free Demo Plate Short

ski construction:

Composite Wood

camRock:

On Piste Rocker



### BELLE 73

anthracite

0A1383 SB 001 TP2 Compact 10 FDT

sizes:

138 · 144 · 150 · 156 · 162 · 168

sidecut (by size):

117-73-94 (138) · 119-73-96 (144) · 121-73-98 (150) ·  
122,5-73-100 (156) · 123,5-73-101 (162) ·  
124-73-101 (168) · 124,5-73-102 (174)

radius (by size):

11,5 (138) · 12 (144) · 12,5 (150) · 13 (156) ·  
13,7 (162) · 14,6 (168) · 15,5 (174)

DIN setting:

3-10 ML

system:

FDT Free Demo Plate Short

ski construction:

Composite Wood

camRock:

On Piste Rocker



# ACCESSORIES.



## ECO MATERIAL PROJECT

### A LOW ENVIRONMENTAL IMPACT PRODUCTION CHAIN WITH CONSIDERABLE SAVINGS OF ENERGY AND RESOURCES

Eco Material is Nordica and Invicta's answer to the serious problem of plastic pollution, one step forward for a better future.

#### ECOLOGICAL

For each backpack, from 20 to 40 plastic bottles, depending on the model, are used, trying to use 4 bottles all together. Here it is!

#### TECHNOLOGICAL

This fabric keeps the same characteristics and guarantees the standards of quality of our materials: a backpack to use in all situations, even the most challenging!

#### A POSITIVE MESSAGE

A backpack made from recycled and recyclable fabrics contributes to spreading the voice of ecology even further. You will convey a positive message and you will contribute to making the environment a more livable place.



## ACCESSORIES / BAGS

made by  invicta  
★★★★ SINCE 1906 ★★★★



### RACE XL GEAR PACK DOBERMANN

ON3041 03 741 black / red

sizes: 66x38x28 cm  
main fabric: ECO-Polyester 600D TPE coating  
volume: 85 l



### RACE XL JR GEAR PACK DOBERMANN

ON3042 03 741 black / red

sizes: 61x28x20 cm  
main fabric: ECO-Polyester 600D TPE coating  
volume: 60 l



### PRO BACKPACK

ON3052 00 741 black / red

sizes: 47x29x14 cm  
main fabric: ECO-Polyester 600D TPE coating  
volume: 30 l



### BOOT BAG LITE

ON3037 01 741 black / red

sizes: 34x40x24 cm  
main fabric: Polyester 600D TPE coating  
volume: 30 l



### TREND BACKBAG

ON3053 00 741 black / red

sizes: 62x44x33 cm  
main fabric: 420D TPU  
volume: 20 l



### RACE XL DUFFLE ROLLER DOBERMANN

ON3043 01 741 black / red

sizes: 83x43x40 cm  
main fabric: Poly. 900D + Poly. 900D TPU coating  
volume: 115/120 l



### BUSINESS TROLLEY

ON3046 02 100 black / red

sizes: 40x55x20 cm  
main fabric: ECO-Polyester 600D TPE coating  
volume: 38 l



### BOOT BACKPACK

ON3015 02 741 black / red

sizes: 39x40x38 cm  
main fabric: ECO-Polyester 600D TPE coating  
volume: 61 l



### BOOT BAG

ON3014 02 741 black / red

sizes: 33x40x38 cm  
main fabric: ECO-Polyester 600D TPE coating  
volume: 55 l



### 12M TRAVEL BAG

ON3048 00 001 black

sizes: 64x35x35 cm  
main fabric: PVC + Polyester 1000D  
volume: 70 l

## ACCESSORIES / SKI BAGS

made by  invicta  
★★★★ SINCE 1906 ★★★★



### SKI BAG LITE

ON3038 01 741 black / red

sizes: 185x23x19 cm  
main fabric: Polyester 600D TPE coating  
volume: 1 pair ski



### SINGLE SKI BAG

ON3017 02 741 black / red

sizes: 175(210)x23x15 cm  
main fabric: ECO-Polyester 600D TPE coating  
volume: 1 pair ski



### 3 PAIR SKI BAG

ON3034 00 741 black / red

sizes: 200x36x18 cm  
main fabric: ECO-Polyester 600D TPE coating  
volume: 3 pair ski



### DOUBLE ROLLER SKI BAG

ON3018 02 741 black / red

sizes: 35x210 cm · main fabric: Polyester 600D TPE coating  
volume: 2 pair ski



### DH RACE SKI BAG 3 PAIR

ON3035 00 741 black / red

sizes: 35x210 cm · main fabric: Polyester 600D TPE coating  
volume: 3 pair ski



## ACCESSORIES / POLES

made by **KOMPERDELL**



**DOBERMANN RACE**  
0B0828 00 001 black / red  
0B0832 00 001 prepack 25 **OB0832 50 001** prepack 25 + box

sizes: 110 · 115 · 120 · 125 · 130 · 135



**DOBERMANN JR RACE**  
0B0830 00 001 black / red

sizes: 80 · 85 · 90 · 95 · 100 · 105



**ALPINE TIMAN**  
0B0808 00 002 anthracite / grey

sizes: 110 · 115 · 120 · 125 · 130 · 135



**ALPINE TI WOMAN**  
0B0810 00 002 anthracite / aqua

sizes: 105 · 110 · 115 · 120 · 125



**FREERIDE PRO MAN**  
0B080501 01 001 black / red

sizes: 110 · 115 · 120 · 125 · 130 · 135



**FREERIDE PRO WOMAN**  
0B080502 02 001 black / teal

sizes: 110 · 115 · 120 · 125 · 130 · 135



**ELITE CARBON**  
0B0826 00 001 carbon / red

sizes: 110 · 115 · 120 · 125 · 130 · 135



**ALPINE PERFORMANCE**  
red / black  
0B0824 00 764 prepack 25 **OB0824 50 764** prepack 25 + box

sizes: 110 · 115 · 120 · 125 · 130 · 135



**PRIMO UNI**  
0B0814 00 002 grey

sizes: 110 · 115 · 120 · 125 · 130 · 135



**PRIMO LADY**  
0B0816 00 002 white

sizes: 105 · 110 · 115 · 120 · 125



**JUNIOR**  
0B0818 00 002 red / black

sizes: 70 · 80 · 90 · 100 · 110



**JUNIOR GIRL**  
0B0820 00 002 green / white

sizes: 70 · 80 · 90 · 100 · 110



**RENTAL**  
0B0622 00 001 brushed

sizes: 110 · 135



color code chart  
110 ● · 115 ○ · 120 ● · 125 ● · 130 ○ · 135 ●

## ACCESSORIES / GLOVES

made by **LEVEL**



**ALPINE TI WOMAN**  
0B0810 00 002 anthracite / aqua

sizes: 105 · 110 · 115 · 120 · 125



**NORDICA ENFORCER PRO**  
0W2607 00 100 black

sizes: S · M · L · XL



**NORDICA COACH**  
0W2608 00 741 black / red

sizes: S · M · L · XL



**NORDICA PRO RIDER**  
0W2609 00 744 grey / red

sizes: XS · S · M · L · XL



## ACCESSORIES / SOCKS



### DOBERMANN

0W3007 01 001 black

sizes: 36-38 · 39-41 · 42-44 · 45-47  
construction: flat with half terry in sole  
fabrics: 56% polypropylene, 40% polyamide  
4% elastane



### SPEEDMACHINE 3

0W3009 00 001 black / red

sizes: 36-38 · 39-41 · 42-44 · 45-47  
construction: flat with reinforcements, left and right  
fabrics: 56% polyamide - micronol, 35% polyamide  
7% polypropylene, 2% elastane



### HIGH PERFORMANCE MAN

0W3010 00 741 black / anthracite / red  
0W3010 00 821 red / black / anthracite

sizes: 36-38 · 39-41 · 42-44 · 45-47  
construction: flat with reinforcements, left and right  
fabrics: 29% polyamide, 28% merino wool,  
28% acrylic, 13% polypropylene, 2% elastane



### HIGH PERFORMANCE W

0W3003 00 101 black / anthracite / emerald  
0W3003 00 9M3 black / anthracite / purple

sizes: 36-38 · 39-41  
construction: flat with reinforcements, left and right  
fabrics: 39% polyamide, 23% polypropylene,  
18% acrylic, 18% merino wool, 2% elastane



### HF

0W3008 00 741 black / red  
0W3008 00 774 red / black

sizes: 36-38 · 39-41 · 42-44 · 45-47  
construction: flat with reinforcements  
fabrics: 36% polyamide, 34% polyester, 20% polypropylene, 8%  
polyamide nanoglide, 2% elastane



### UNI 2-PACK

0W3011 00 N44 grey / neon green + grey / blue

sizes: 36-38 · 39-41 · 42-44 · 45-47  
construction: flat with reinforcements  
fabrics: 32% polyamide, 33% acrylic, 33% merino wool, 2% elastane



### TECH JUNIOR

0W3012 00 N16 black / red  
0W3012 00 774 black / anthracite

sizes: 27-30 · 31-34 · 35-38  
construction: flat with reinforcements  
fabrics: 83% acrylic, 16% polyamide,  
1% elastane

## ACCESSORIES / BINDINGS

made by  MARKER



### X-COMP 24

0C0160 00 001  
X-COMP 18  
0C0162 00 001

DIN configuration: 12.0-24.0 (24) · 8.0-18.0 (18)



### X-COMP 16

0C0164 00 001  
X-COMP 12  
0C0166 00 001

DIN configuration: 6.0-16.0 (16) · 4.0-12.0 (12)



### RACE 10 TCX

0C0172 00 001

DIN configuration: 3.0-10.0



### RACE 10

0C0168 00 001

DIN configuration: 3.0-10.0 (10) · 2.0-8.0 (8)



### RACE 8

0C0170 00 001


DIN configuration: 6.0-16.0



### JET 16 ID

0C182 00 001 (100mm) · 0C184 00 001 (110mm)

DIN configuration: 3.0-11.0



### SQUIRE 11 TCX

0C1201 00 001 (90mm) · 0C1202 00 001 (100mm) · 0C1203 00 001 (110mm)

DIN configuration: 3.0-11.0



### GRIFFON 13 ID

0C0186 00 001 (100mm) · 0C0188 00 001 (110mm) · 0C0190 00 001 (120mm)

DIN configuration: 4.0-13.0



### GRIFFON 13 D

0C0192 00 001 (90mm) · 0C0194 00 001 (100mm) · 0C0197 00 001 (110mm)

DIN configuration: 4.0-13.0



### GRIFFON 13 TCX D

0C0198 00 001 (90mm) · 0C0200 00 001 (110mm)

DIN configuration: 4.0-13.0



### SQUIRE 11

0C1206 00 001 (90mm) · 0C1204 00 001 (100mm) · 0C1205 00 001 (110mm)

DIN configuration: 3.0-11.0



### DUKE PT 16

0C0176 00 001 (100mm) · 0C0178 00 001 (125mm)

DIN configuration: 6.0-16.0



### DUKE PT 12

0C0180 00 001 (100mm) · 0C0178 00 001 (125mm)

DIN configuration: 4.0-12.0



### KINGPIN 13

0C2102 00 001 (75-100mm) · 0C2103 00 001 (100-125mm)

DIN configuration: 6.0-13.0



### KINGPIN 10

0C2100 00 001 (75-100mm) · 0C2101 00 001 (100-125mm)

DIN configuration: 5.0-10.0



### KINGPIN 12

0C2102 00 001 (75-100mm) · 0C2103 00 001 (100-125mm)

DIN configuration: 5.0-10.0



### MARKER ALPINIST 10

0C2106 00 001 (w/o brake)

0C2107 00 001 (90mm)

DIN configuration: 4.0-10.0



### MARKER ALPINIST 8

0C2108 00 001 (w/o brake)

0C2109 00 001 (90mm)

DIN configuration: 3.0-8.0



### MARKER ALPINIST 12 LONG TRAVEL

0C2110 00 001 (w/o brake)

0C2111 00 001 (w/o brake)

DIN configuration: 4.0-12.0



### MARKER ALPINIST 10 LONG TRAVEL

0C2111 00 001 (w/o brake)

0C2112 00 001 (w/o brake)

DIN configuration: 4.0-10.0



NORDICA



8 050459 965513

Printed in Italy.  
December 2021.

**Action Pictures**  
Pentaphoto  
S. Rainer  
J. Dash  
H. Fichtinger  
D. Trumppore  
B. Curran  
A. Sailer

**Product Pictures**  
Sartori Group

**Design**  
A. Formasier  
A. Papandrea

**Printing**  
Tipografia Faggionato